### NO. 45923-0-II COURT OF APPEALS, DIVISION II OF THE STATE OF WASHINGTON

	or whom dron	2014 O STATE
STATE OF WASHINGTON,	) NO. <b>13-2-07068-1</b>	DIVIS 2014 OCT 24 STATE OF WA BY COM BEPU
Plaintiff/Respondent,	, ) )	BY GEPUTY
V.	) )	ALS ALS
HAROLD BIRCUMSHAW	) ) )	
Defendant/Appellant.	) ) )	
		_
BRIEF OF	APPELLANT	

Peter Kram, WSBA # 7436 Attorney for Appellant Kram & Wooster, P.S. 1901 South I Street Tacoma, WA 98405 (253) 272-7929

### TABLE OF CONTENTS

	Page(s)
I.	Table of Contentsi-ii
II.	Table of Authoritiesiii-v
1.	Table of Casesiii-iv
2.	Statutesiv, v
3.	Otherv
III.	Assignments of Error1
IV.	Issues Pertaining to Assignment of Errori ,ii, 2
1.	Did the Department of Social and Health Services and the Board of
Appea	ls err by failing to apply the authority of Federal and State payment
policy	that medically necessary and covered services should be paid when
suffici	ent records exist to substantiate they were performed?

- 2. Did the administrative law judge commit error when she refused to acknowledge the existence of the state's own exhibits of federally compliant medical records in assessing the audit prepared by the state of Washington?
- 3. Did the administrative law judge commit error when the medical records, chart notes and patient files demonstrated the presence of required documentation in the majority of the records forming the basis of the audit claims?

- 4. Is the decision of the Appellate Division of the office of administrative hearings so inconsistent with the audit that the decision on the remaining accounts that the initial decision must be reversed?
- 5. For those medical records where there exist sufficient documentation in the State's order form, what is the proper computation of the actual amounts proven by the State?
- 6. Should the Department's award be overturned because Washington did not provide

a statutory basis for punitive damages?

- 7. Alternatively, did the State violate the Appellant's right to substantive due process in when it failed to acknowledge the Federal rules for Medicaid payments, rendering the administrative decision void?
- V. Statement of the Case

	A.	Procedural History	3, 4
	B.	Substantive Facts	4-28
VI.	Argument28		28-49
VII.	Conclusion49		49, 50

# TABLE OF AUTHORITIES

## 1. Table of Cases

Page(s)

# **Federal Cases**

BMW of North America, Inc. v. Gore, 517 U.S. 559, 116 S.Ct. 1589, 134 L.Ed. 2d 809 (1996); see also id., at 587, 116 S.Ct. 1589. (Breyer, J., concurring)
Cooper Industries, Inc. v. Leatherman Tool Group, Inc., 532 U.S. 424, 433, 121 S.Ct. 1678, 149 L.Ed.2d 674 (2001)
Pacific Mut. Life Ins. Co. v. Haslip, 499 U.S. 1, 19, 42, 111 S.Ct. 1032, 113 L.Ed.2d 1 (1991)
State Farm Mutual Automobile Insurance Co. v. Campbell, 538 U.S. 408,         408-9,123 S.Ct. 1513 2002)
TXO Prod. Corp. v. Alliance Resources Corp., 509 U.S. 443, 460, 113 S.Ct. 2711, 2721–22, 125 L.Ed.2d 366 (1993)48
Washington Cases
Barr v. Interbay Citizens Bank of Tampa, Florida, 96 Wash.2d 692, 699, 635 P.2d 441, 649 P.2d 827 (1981)
Bostain v. Food Express, Inc., 159 Wash.2d 700, 715, 153 P.3d 846 (2007)
Crista Senior Community v. Department of Social & Health Servs., 77 Wash.App. 398, 400-401, 892 P.2d 749 (1995)
Davenport v. Washington Education Association, 147 Wn.App. 704, 1726, 97 P.3d 686 (Wash.App. Div. 2 2008)
Dep't of Ecology v. Campbell & Gwinn, LLC, 146 Wash.2d 1, 9, 43 P.3d 4 (2002)
Dep't of Labor & Indus. v. Granger, 159 Wash.2d 752, 764, 153 P.3d 839 (2007)
Diversified Inv. Partnership v. Department of Social & Health Servs., 113 Wash.2d 19, 21, 775 P.2d 947 (1989)

Glaubach v. Regence BlueShield, 149 Wash.2d 827, 833 (2003)	
King County v. Cent. Puget Sound Growth Mgmt. Heari Wash.2d 543, 560, 14 P.3d 133 (2000).	_
Olympic Forest Products, Inc. v. Chaussee Corp., 82 Wa 422, 511 P.2d 1002 (1973)	
Silverstreak, Inc. v. Dep't of Labor & Indus., 159 Wash.2 P.3d 891 (2007)	· ·
Spokane Truck & Dray Co. v. Hoefer Et Ux., 11 L.R.A. 53, 25 P. 1072 (1891)	
State ex rel. Citizens Against Tolls v. Murphy, 151 Wash P.3d 375 (2004)	
Zuver v. Airtouch Communications, Inc., 153 Wash.2d 2 753 (2004)	
2. Statutes, Regulations and Court Rules	
Federal	Page(s)
Fourteenth Amendment, U.S. Constitution	45, 46,48
42 U.S.C. 1396a, et seq	31
42 USC 1396a (30)(A)	31
P.L. 109-107	33
Section 1902(a)(30)(A) of the Social Security Act	32
42 USC 1902 (a)(30)	33
42 CFR Subpart F	34
42 CFR 433.304	7, 33, 34
42 CFR 455.2	33
42 CFR 447.45(f)	34
42 CFR 447.202	34

# State

Artic	le 1, Section 3, Washington	Constitution45	
RCW	34.05.570	28	
RCW	/ 43.20B.010(5)	35, 37	
RCW	74.09.200	35, 36	
RCW	74.09.210	37	
WAG	C 182-502	38	
WAG	C 182-502-0020	40	
WAG	C 388-502-0010	38	
WAG	C 388-502-0020	12, 20, 37	
WAG	C 388-502-0100	6, 7, 38	
WAG	C 388-502-0230	36	
WAG	C 388-502-0240	37	
3.	Other	Page(s)	
	CPAC Report to the Congress reletter, accessed June 26, 20	ss on Medicaid and CHIP, June 2013,	
http:/	//www.macpac.gov/reports.	30, 31	
	CPAC Report to the Congresaccessed June 26, 2013 at	ss on Medicaid and Chip, March 2011, p	
http://www.macpac.gov/reports			

### III. Assignments of Error

- 1. The Office of Administrative Hearings, its Board of Appeals and the Trial Court erred when they each refused to apply Federal and State Medicaid payment policies that require payment for covered, medically necessary services substantiated by the State's own medical records.
- a. The Administrative Law Judge and the Board of Appeals in its final order erred when they refused to properly acknowledge the State's medical records exhibits when upholding the audit conclusions.
- b. The Administrative Law Judge, Board of Appeals in its final order and the Superior Court erred when they refused to acknowledge that the exhibits, medical records, chart notes and patient records documented the provision of covered, medically necessary optometric services.
- 2. The Department's decision and the Appellate Division's modification of the decision are so internally inconsistent that the remaining audit decision requesting repayment of \$224,114.64 out of \$356,000 paid must be reversed.
- 3. The decisions of the Department, its Appellate Division and the Superior Court should be reversed because of the Department's failure to abide by Federal Medicaid payment rules violated Appellant's substantive due process rights, resulted in a punitive confiscation and ignored the effect of audit's internal inconsistencies.

### IV. Issues Pertaining to Assignments of Error

- 1. Did the Office of Administrative Hearings, its Board of Appeals and the Trial Court err when they each refused to apply Federal and State Medicaid payment policies that require payment for covered, medically necessary services substantiated by the State's own medical records?
- a. Did the Administrative Law Judge and the Board of Appeals in their final orders err when they refused to properly acknowledge the State's own medical record, exhibits when upholding the audit conclusions?
- b. Did the Administrative Law Judge, the Board of Appeals in its final order and the Superior Court err when they refused to acknowledge that the exhibits, medical records documented the provision of covered, medically necessary optometric services.
- 2. Is the decision of the Office of Administrative Hearings and the Appellate Division's modification of the decision so internally inconsistent that the remaining audit decisions requesting repayment of \$224,114.64 out of \$356,000 paid must be reversed?
- 3. Should the decisions of the Department, its Appellant Division and the Superior Court be reversed because of the Department's failure to abide by Federal Medicaid payment rules violated Appellant's substantive due process rights, resulted in a punitive confiscation and ignored the effect of audit's internal inconsistencies?

#### V. Statement of the Case

### A. Procedural History

Beginning July 12, 2007, the Washington Department of Social and Health Services conducted an audit of the billing records of the Petitioner, Harold Bircumshaw, O.D. Administrative Hearing Exhibits, 8, 9, 12, 20 The audit was completed and a final audit report issued on April 28, 2009, alleging four findings of an actual overpayment totaling about \$11,168.50, Exhibit 29. The State extrapolated from this data to project an overpayment of \$224,114.64, Exhibit 27, RP1: 132.

Dr. Bircumshaw requested an administrative hearing of the audit on May 20, 2009 and a hearing was conducted over several days. RP Volumes 1-16. The Administrative Law Judge affirmed the audit findings in her decision and initial order issued May 12, 2010. Dr. Bircumshaw filed a petition for review of the initial decision with the DSHS Board of Appeals on June 15, 2010. The Board of Appeals issued a final order on December 3, 2012. CP 1-80. Two of the four administrative findings were overturned and two were upheld in the Final Order dated December 3, 2012. Both parties filed motions for reconsideration and a decision and order on reconsideration was issued on February 8, 2013, denying both requests.

Appellant petitioned the Pierce County Superior Court for review of the amended administrative decision on March 8, 2013. CP 1-80. Judge

John Hickman affirmed the revised decision on January 13, 2014. CP 6489-6491. This appeal was filed February 10, 2014. CP 6494.

The administrative record in this matter consists of 16 volumes covering over 3,500 pages together with over 400 exhibits. The hearing included nine days of testimony and argument. The numbered exhibits and audit summary refer to a "record number" which designates the patient. The exhibits also have Bates stamp numbers on them. Wherever possible reference will be made to the exhibit numbers and Bates numbers as well as the record of proceedings including the volume and page number.

#### **B.** Substantive Facts

Harold Bircumshaw, O.D, is a provider of optometric services and licensed in the State of Washington. He performed optometric services for patients while employed by or operating Tacoma clinics. CP 1-80; Final Order. Patients included persons eligible for services under the federal Medicaid program administered by the State of Washington. Services included examinations, diagnoses, prescriptions, ordering of glasses and contact lenses, referrals and repair of existing eyeglasses. Patients presented their Medicaid coupon to Dr. Bircumshaw which authorized him to provide covered services at rates allowed by the state. Exh. 6. Dr. Bircumshaw signed a provider agreement with the state of Washington to provide optometric services to eligible patient recipients of Medicaid. By

signing this agreement, both parties agreed to follow Federal and State guidelines. DSHS, Exh. 6.

Medicaid patients would present their current medical coupon from the Department of Social and Health Services to the provider prior to services being received. RP 2, pp 14-187, Testimony of Oridione. Dr. Bircumshaw would conduct an examination, make any requisite diagnosis, prepare a prescription, order glasses or contact lenses, and make any necessary hardware repairs or provide authorized services to the patient. Prescription orders for glasses were then sent to the sole authorized provider of eyeglasses and contact lenses, Airway Optical in Airway Heights, Washington. Airway Optical provided a second confirmation of the recipient's eligibility by checking their records to determine when previous services had been provided for glasses or contact lenses. RP 6: 100-102. If federal or state guidelines were not met, Airway would refuse the order and return it to the provider. If documentation in the record indicated that the order would be eligible by adding an Expedited Prior Authorization (EPA) code, then the proper code was added and the order resent to Airway Optical. EPA codes were created and are required by the state when eyeglasses or contacts were lost, broken beyond repair, the prescription changed by more than .50 diopters, or the lenses were scratched or missing. RP 6: 100-102.

When the state Medicaid service office is billed by the provider for services rendered a procedural code (CPT) is indicated on the billing form (CMS 1500). These codes are copyrighted by the American Medical Association (AMA) and are provided in the CPT Coding Manual that is produced by the AMA. The full coding text was not made an exhibit. See ATR 4.57, page 29, Fn. 11. Common optical CPT codes include 92004 and 92014, routine examination for new and established patients; 92015 Refraction or prescription for eyewear; 92310, fitting contact lenses; 92340, fitting of single vision spectacles; 92341, fitting bifocals; 92370 repair of eye ware; and 92390, supply of materials for spectacle repair. Par. 4.26, Page 8, Exh. 92 and 93. This is only a partial list because the extensive CPT codes are copyrighted by the American Medical Association. The CPT codes are incorporated into the Washington Administrative Code, WAC 388-502-0100 et seq. The vast majority of optometric diagnostic work is described in about 10 CPT procedural codes. RP 6: 46-48; 108.

During the audit process of the SURS reports, definitions of copywritten CPT codes were truncated or changed by the state's audit team. Providers are required to use CPT manuals and the state's Billing Manual as their guideline for determining the correct billing codes. RP 1:82-84. While the state can and does impose certain regulations by statute and administrative rule, nevertheless the state is still bound by the

federal rules. Federal regulations refer to "records" with little or no explanation as to what the term means or records documentation methods. 42 CFR 433.304, 447645 (f) and .455.2. The state admitted that they have no written policies regarding the recording of documentation. RP 6:72. WAC 388-502-0100 et seq sets forth the elements that are to be documented, but fails to include any specifics about what format must be used. Therefore a provider can reasonably conclude that the provider's state and federal documentation requirements are fulfilled when a patient file is kept as a record and contains documentation elements as set forth in the medical records for each service.

Patient visits to an optometrist generate multiple different kinds of records including examination forms, which can include a written prescription with refraction data, state approved Airway optical ordering forms, referral requests from primary care providers (PCP), a referral request from an optical provider to PCP or other specialist, responses by providers to or for requests, examination forms regarding post-operative or follow up care, etc. Not every patient visit or contact generates the same kind of record, however included in the records and exhibits in this matter were 138 out of 171 (80.7%) in which the Airway order form was provided. See Exhibit 27, page 8, Bates #: 781.

The Airway Optical order form is significant because it is, in fact, a part of the patient record and contains all of the required documentation

elements of WAC and federal regulation regarding record keeping. The court may examine Exhibit N, Record # 111, Appendix A herein, which is a medical record and order form that is sent to Airway Optical for processing spectacle glasses. This exhibit has the following characteristics:

- 1. It specifically calls itself a "Medical Record."
- 2. It provides an order number issued by the state of Washington.
- 3. The State of Washington designed the form.
- 4. Use of the form is mandatory for both the provider of the hardware, Airway Optical, and for the optometrist, Dr. Bircumshaw.
- 5. The form provides the patient's name, date of birth, age, state issued ID number, address, month eligible for services, and services allowed.
- 6. The form may provide a prior authorization number issued by the state of Washington for eligible Medicaid participants.
- 7. The form contains the provider number assigned exclusively to Dr. Bircumshaw.
- 8. The form contains the order date or date of service.
- 9. The form contains optometric diagnostic information for both eyes, a prescription, and the pupillary distance between the eyes, abbreviated PD, test results, care plan and lens grinding instructions.

- 10. The form contains frame style and measurements of eye size, distance between lenses (DBL), the frame's temple length and temple type. These are physical characteristics unique to each patient and thus a medical record. Not only do these elements found on the Airway Optical order form satisfy state and federal requirements for documentation, the State itself refers to these forms as "medical records." Initial Order, Pages 9-10, dated May 12, 2010.
- 11. Contact lenses require much of the same information, but tailored for contact lens prescriptions and orders

Redacted copies of medical record order forms designated as

DSHS exhibits and the DSHS medical coupon are attached hereto as

Appendix A for ease of reference. They are record numbers 17 and, 111

and 113.

The Washington State Department of Social and Health Services (hereinafter "DSHS" or the "Department") conducted a payment audit of Dr. Bircumshaw's practice for the three years between June 2, 2003 and May 31, 2006. RP Bates #000140, Final Order, ¶15. As a result of that audit DSHS concluded that \$233,028.66 of a total DSHS payment of \$356,407.35, or about 65% of all reimbursement, over that three-year period should be repaid. RP Bates #000350, Initial Order, ¶4.22. The severity of this position was particularly striking since it did not rely on any assertion that the services billed were not medically necessary, that the

beneficiaries were not eligible for service, that the provider was not contracted to provide those services or that the services were not provided. RP 6:31. Counsel for the Department asserted "This [action] certainly isn't a challenge to Dr. Bircumshaw's quality of care or respect for his patients." RP. Vol 1, p. 68, Lines 19-21. The Department did not care whether the services were provided or not. RP. Vol 1, p. 60, Lines 1-25. Counsel for the Department stated "nobody's going to be asking you whether or not the services were provided." Id. She further commented "The Department...has not attempted to comment on at all whether services...were provided or not..." Id. p. 51, Lines 1-13.

The Department demanded that Dr. Bircumshaw repay 65% of his total reimbursement, accumulated over a three-year period, delivering medically necessary services, because his medical records were not maintained in a manner desired by the Department.

The DSHS audit had four stated objectives:

- 1. To determine if the services billed and paid were provided
- 2. To provide a method of determining compliance with state and federal regulations
- 3. To identify provider billing and/or payment irregularities
- 4. To provide a mechanism for data gathering to establish and/or modify policies and procedures RP Bates # 000347, Initial Order, p. 4, ¶4.10; RP Bates 000139, Final Order, p. 4, ¶10.

The audit findings were not categorized according to these objectives so it is not easy to discern how each was approached or to what extent each was accomplished. Objective #1, which claims the

Department will determine if the services billed and paid were actually provided, is particularly important to differentiate between errors and fraud. The Department's own attorney affirmatively ignored this objective by the above statement. The Department asserted that this objective was not of concern, though it is nonetheless a stated audit objective. The Medicaid Fraud Control Unit pursued the first objective by surveying historic patients regarding the services they obtained. RP Bates # 000301-306, Attachment K. The results of the survey were not released. The Department asserted that an invisible patient confidentiality barrier cannot be crossed for it to obtain its own records in order to determine if services were rendered. The Department offers no insight as to why it does not seek to verify if billed services were delivered. No facts were produced which proved that reasonable and necessary medical services were not provided by Appellant.

No evidence was provided at all as to whether DSHS pursued objective #4 and the remaining findings were not categorized in a manner that reveals which findings were associated with which objective, if any. The audit plan did not provide any further description as to how objectives 2 or 3 would be measured or how DSHS would know if the objectives were obtained. The Court and the Appellant are left to speculate from the results and the audit report what these objectives were intended to measure and if the objectives were obtained.

The confusion DSHS exhibited concerning its stated objectives helps to understand why the resulting findings are equally confusing. The internally inconsistent decisions, reversing some of the findings based on the presence of medical records while making other, contradictory findings in the face of the same medical record evidence requires reversal of this order.

After outlining the objectives of the audit, DSHS defined its scope: to measure compliance with regulations. RP Bates # 000348, Initial Order, pg5, ¶ 4.13; RP Bates #000000140, Final Order, p. 5, ¶ 14. This statement suggests that the only objective pursued was objective #2: provide a method of determining compliance with state and federal regulations. However, the results of the audit are expressed in terms of various "findings" that are not associated in any direct manner with regulations at all.

The audit resulted in four general and 11 more specified "findings." These were: 1) patient record lacked sufficient documentation; 2) incorrect exam code; 3) fitting of spectacles billed with repair and refitting; and 4) erroneous billing. RP Bates #000151-170, Final Order pgs 16-35. Findings #2 and #3 were dismissed by the State's own Appellate Division and were not advanced by the State on judicial review. The dismissal of findings 2 and 3 destroys the validity of the remaining findings because they all have the same factual basis in the audit.

A recap of the audited records which were overturned in the reversal of Findings 3A and 3B is attached hereto as Appendix B. The full list of findings correlated to the Appellate reversal is in the State's Exhibit 27, Bates #s 789-828.

In only two instances does DSHS associate any general or specific finding with a violation of a regulation. RP Bates # 000158, Final Order, p. 23, ¶69; p. 24, ¶71. Furthermore, DSHS fails to cite any criteria by which determinations were made leading to these "findings." When asked, the Department acknowledged that there are no written policies describing what is and is not acceptable documentation for services rendered. RP Vol. VI, p. 54, ¶¶2-9. The only guidance provided by DSHS is in the Billing Instructions that by the Department's own admission is limited to mimicking WAC 388-502-0020. RP Vol. 1, p. 168, ¶¶4-12. DSHS has no other guidance or criteria regarding documentation.

The findings appear to be based on the assertions of auditors who lack clinical expertise or legal training. RP Vol. I, p.80, ¶14; RP 6:25. For example in paragraph 52 of the Final Order the auditors assert:

"The Core Provider Agreement requires the provider to keep complete and accurate medical and fiscal records that justify and disclose the extent of the services or items furnished and submitted to the Department." This assertion is made without any reference to an audit objective or any authority as to how the assertion might apply to DSHS payment obligations. The Department provided no foundation as to how the core provider contract, establishing a provider's right to participate in the Medicaid program, is related to the Department's obligation to compensate providers for medically necessary and covered services to eligible beneficiaries. The Department's position ignores its own Airway Order Form that it calls a medical record.

The Core Provider Agreement further states "[I]f a provider provides services to an eligible client then the provider shall be paid."

(Emphasis added). It allows but does not require, recoupment by saying "if services are not properly documented an over payment can be recouped by the Department." So, if no evidence exists that services were not provided then payment was mandatory and recoupment is not

The lack of experience in clinical optometric practice in the audit participants lead to audit conclusions not based on any discernible medical criteria. No individual with any optometric clinical experience participated in the audit. Determinations of clinical coding, correctness of exam codes, and sufficiency of documentation were being made by auditors without optometric clinical knowledge or experience. RP Vol VI, p. 31, ¶ 24-25. (DSHS Opening Brief, Exhibit 12, pgs. 6 and 14). The

only experience the audit team had with the specialty of Optometry was a single audit conducted by a consultant who was involved in auditing an Optician. <u>Id</u>. The team of four auditors was made up essentially of technicians, acting by rule rather than actual knowledge or experience with the particular service they were auditing. This process is in contrast to the process established by DSHS to evaluate quality of care.

Utilization Review (UR) is a concurrent, prospective, and/or retrospective (including post-pay and pre-pay) formal evaluation of a client's documented medical care to assure that the healthcare services provided are proper and necessary and are of good quality. The review considers the appropriates of the place of care, level of care, and the duration, frequency, or quantity of healthcare services provided in relation to the condition(s) being treated. HRSA uses InterQual ISDR Level of Care criteria as a guideline in the utilization review process.

Physician Related Services, Billing Instructions, 2000, p. 32. (Emphasis added)

Utilization review and quality review rely on established clinical criteria. This is in stark contrast to the manner in which this billing audit was conducted. DSHS did not survey community standards of practice for Optometry and Optometrists. The Department did not solicit the input of the American Optometric Association. Rather, the Department forged ahead with an audit of an unfamiliar service with unclear objectives and a lack of criteria for the findings it asserted.

The Department's findings are subjective judgments contradictory to their own record forms. For example, in paragraph 53 of the Final

Order (Bates #000151) CP 1-80, the Department asserts: "Neither of the documents found in S14 is a chart note that justifies the billing for a refractive state." There is no foundation given for that judgment and, in fact, the judgment is false. The Department further asserted "An Airway Order is simply documentation an order was placed." This ignores the Department's own name for its own record and the presence of the records in over 70% of the cases analyzed. Airway Optical is the single contractor permitted by the Department for ordering vision hardware. Department Exhibit 32, Billing Instructions, pg. v. Airway Optical confirms that a hardware order falls outside of the required waiting interval between orders. Id. p. E.2. Airway requires that the order form be filled out completely, including a copy of the Medical ID card. Id. Finally, the Airway Optical order form is called a Medical Record.

Ms. Ordiorne testified that the Airway Optical order form was not recognized or accepted by the state as documentation or a chart note and that the Airway order was not a chart. RP 1, pages 14-187; Initial Order, Bates # 000152, Final Order P. 17, Par. 53. Given the state's own record description and the wealth of patient information this conclusion is erroneous. Ms. Ordione conceded that she did not know what information a state medical coupon contained. She testified that the state just did not recognize the Airway Optical order form or its contents as documentation. This begs the question. The State's own form designated these documents

as medical records. Words such as "records", "documentation", and "chart notes" have already been defined by state and federal laws and regulations. State regulations do not prohibit the use of the Airway order form as documentation in a patient's medical record, charts and file. The State itself uses the term "Medical Record" and relied on the information contained in Dr. Bircumshaw's patient files to determine reversal of Findings 2, 3A and 3B.

The Department's only citations of authority for how "chart notes" relate with authority for DSHS to deny payment are "Exhibits 30 and 31." Bates 144-146, Final Order pgs. 9-11. However, these exhibits are both titled "Documentation guidelines for Evaluation and Management Services," without citation of authorship or authority. There is no indication why these references should be recognized or controlling on the issue of whether services were properly provided by Appellant. The Appellate Division Final Order dismissed findings 2 and 3, related to evaluation and management services, for this very reason. Thus the only reference provided relating to "chart notes" was dismissed. No other authority is cited as to how "chart notes" relate to authority for DSHS to deny or recoup payment for services rendered.

The office of Administrative Hearings Appellate Division final orders dismissed the initial findings 3A and 3B. Of the remaining findings, Number 1 alleged inadequate documentation and finding number

4 alleged erroneous billing. These two categories account for approximately 90% of all the claims and 81% of the alleged overpayment.

The audit reviewed 348 samples out of 9,531 procedures or 3.65% of the total procedures during the relevant period. Initial Order ¶ 4.15, pp. 5-6. These 348 procedures had paid to Dr. Bircumshaw a total of \$16,716.87, later reduced to \$11,703.11. ID., Par. 4.15, Pages 5-6. From the 348 procedures reviewed the state used an extrapolation process to conclude that the state had erroneously paid for 9,506 procedures and from that small sample extrapolated that the resulting overpayment was \$352,808.32, later reduced to \$224,116.64. RP 1: 15, 17. The initial administrative ruling referred to four different components or findings of the audit to which components have two subparts and a third component having three subparts. See Appendix B, Projected Sample Overpayments.

Dr. Bircumshaw sought review before the Office of Administrative Hearings, Appellate Division. The Appellate Division modified the order of Judge Peterson by eliminating certain findings in the order. Findings 2, 3A and 3B were reversed. Review Decision, December 3, 2012. This reversal affected 41 records or 10.8% of the total sample reviewed. These findings were reversed based on the fact that "records" existed and were part of the evidence produced during the administrative hearing. The state had taken the position at the hearing that documentation, chart notes, and records did not exist. Medical records, chart notes and documentation

were provided for the auditor's review and copied by the state for use as exhibits. These records account for over 95% claimed audit failures. The state did not appeal the reversal of these findings.

The State's professed goal was to insure that the sample selected insured a minimum of 95% confidence level. Initial Order, Par. 4.12, at Page 5. In reversing a portion of the initial decision the OAH Appellate Division rejected 25 of the claims because the State had simply added those claims to the projected amount. Exh. 20, Page 8. This represented about 8% of the records reviewed. Many records were removed from consideration, after the 95% level of confidence was alleged to have been attained, and before the audit hearing started. Add those records to the 25 claims above and a significant number of claims were removed from consideration, therefore the 95% level of confidence was lowered, and mitigated to a significantly debased amount. Moreover, similar or identical claims that were included in Findings 1A and 1B and 4 that would further downgrade the confidence level because the documentation, medical records and chart notes do exist as the Department's Appellate Judge found in reversing findings 2, 3A and 3B based on the fact that documentation did exist.

During cross examination Sally Ordione conceded the following facts:

- She had very limited experience in the ophthalmology field,
   RP 6:25;
- 2. She was not aware of any outside patient complaints, RP 6:31;
- 3. The CPT codes were abbreviated, RP 6, 46-48, and dispensing of glasses had different codes, RP 6: 52-53;
- 4. The Airway order forms did not disclose ordering intervals, RP6: 56, 58 and treatment could be considered the prescription in the order form, RP 6: 80;
- 5. She could provide no statutory definition of a "medical record", RP 6:72.

The Department's citation of legal authority for these findings is as confusing as its stated objectives in its audit. Despite that the Department outlined objectives and categorized findings, in fact all results were defined in terms of "overpayments." Somehow the audit objectives morphed into an audit for overpayments. Overpayments are defined in both the Initial Order and the Final Order as "payments greater than the payment owed." Bates 184, Final Order p. 49, ¶ 30. However, neither the Final Order, nor the Initial Order, nor the Department itself provide any authority at all of what "payment" is owed, on what authority it is owed, by what criteria it is owed, or on what authority is the Department allowed to deny payment for medically necessary and covered services provided to eligible enrollees. The hearing does not demonstrate the elements of what

constitutes an improper payment. If the State's own medical records demonstrate the provision of services, no over payment existed. Judge Peterson formed the issue precisely this way when she stated that the real issue was whether the services were provided, RP 4: 67-68.

The Department offered no proof or differentiation of "proper" or "improper" payments. Rather, its claim rests on the auditors' findings of non-compliance with a regulation. RP, Vol II, p. 16, lines 18-20. Although it is never actually articulated, the Department appears to argue that since certain documentation is required to justify payment, a finding that certain documentation is lacking justifies recoupment of payments whether or not the service was medically necessary and actually delivered to an eligible beneficiary. The Department failed to define documentation and failed to identify objective criteria to judge the adequacy of documentation. Its own order form document is a medical record.

The only guidance the Department provided regarding documentation is from the Vision Care Billing Instructions. RP, Vol VI, p. 72, Line 24. However, the only reference in those billing instructions is a recitation of the exact terms of WAC 388-502-0020. RP, Vol I, p. 167, Line 20 & p. 168, Line 12. This regulation (the only guidance provided on "documentation") is a list of documentation categories. The Department's guidance was completely devoid of specification of where documentation was to be kept, how recorded, how detailed, or how related

or unrelated to billing records. The Department acknowledged that it had no objective criteria of what constitutes adequate or inadequate documentation. RP, Vol VI, p. 54, Lines 6-9. The Department is left to rely on non-clinical auditors inexperienced in the service of Optometry making arbitrary judgments as to the adequacy of documentation.

There are many examples of the Department's arbitrary conduct. A "finding" was defined as where the auditor (non-clinical, inexperienced and without guideline) determined there is an error. RP, Vol II, p. 16, Lines. 18-20. The Department utilized CPT procedure codes for designation of the service billed. The Department worked around the requirement that the State pay for a license to use these codes by "truncating or shortening the descriptions." RP, Vol I, pgs. 123 – 124. However the Department arbitrarily added additional undocumented and unpublished service requirements to CPT codes. See example for CPT 92370, Repair and refitting spectacles, in which DSHS adds the service requirement of "dispensing". RP. Vol VI, p. 50, L. 22 – p. 52, L. 11. The Department refused to recognize a data rich Airway Optical Order, see infra, as documentation. RP, Vol VI, p. 55, L. 4. The Department refused to consider Transaction Histories or any information from the Optometrist's electronic billing system as documentation. Bates 000156, Final Order, p. 21, Par. 65.

The Department's claim that alleged inadequate documentation justified recoupment of payments is a policy failed to define any resulting damage. There is no rational association between the alleged documentary inadequacy and the value of any actual resulting damage, if any. The Department's allegations of violation are completely devoid of any reference to damage at all. The Department never demonstrated that the services and hardware were not actually provided to eligible recipients. Specific Findings of the Final Order (beginning at Bates # 000151, on page 16). Finding 1 \$53 - Code 92015This sub-finding involves only 1 claim, No. 61. CPT code 92015 designates the measurement of the refractive state. DSHS asserted that there was no chart note verifying the refractive state was measured. Dr. Bircumshaw provided an Airway Order identifying the refractive state measurements taken on the patient, the date those measurements were taken, and the date Airway shipped the resulting glasses. DSHS asserted this documentation "is [not] a chart note that justifies the billing for a refractive state," though no authority defines what does and does not constitute a "chart note."

¶54 – Code 92082. This sub-finding involves only 1 claim, No. 316. CPT code 92082 designates a visual field examination with interpretation and report. Dr. Bircumshaw conducts this exam on a device that automatically generates the interpretation and report. The report has an auto-date field as well. The auto date field stated "1998." Dr. Bircumshaw had

handwritten the date May 4, 2005, on the top of the report. Without explanation the Department asserted the handwritten date is insufficient to overcome the auto-produced date. Thus the Department unilaterally changed the medical record without any basis.

¶s 55and 68 – Code 92310. This sub-finding involves 16 claims. CPT code 92310 designates the fitting of contact lenses. The Department presents two reasons for denial of these claims: 1) no evidence of prior authorization, and 2) no chart note justifying delivery of the service (a requirement arbitrarily added by DSHS outside of the AMA definition of CPT 92310, without publication or notice)

DSHS acknowledged in its finding that the only claims under this CPT code that require prior authorization are claims for repeated service within 2 years. Final Order, ¶68. Airway Optical rejects and returns orders for clients with unauthorized orders within the 2 year cycle, Exhibit 32, Billing Instructions, p. E.2, so the assertion regarding prior authorization is a red herring. Where the service was within the 2 year cycle, the Airway Optical order includes the authorization number. See claim # 190. Finally the authorization number is provided by DSHS which retains the record.

The first claim cited under this finding is claim #8. The Department does not discuss this claim on the record; however the documentation is included on the record. The record for this claim

incudes both medical record notes and an Airway Order both identifying the refractive measurements ("fitting") taken on the patient.

This result is similar for the other claims cited in this finding

\$\\$ 56, 69, 70, and 75 (Airway form needed to be obtained from Airway) 
Code 93240 and 92341. This sub-finding involves nearly two-thirds of the claims in this matter. CPT code 92340 designates fitting of spectacles.

Code 92341 designates fitting of bi-focals. Although the Department asserts these codes as involving dispensing, the AMA defines this code as "Fitting of spectacles" and specifically recognizes that "supply of materials is a separate service component; it is not part of the service of fitting spectacles." American Medical Association, Current Procedural

Terminology, first cited in 1998 edition. The Department does not provide citation for its assertion. The large majority of these claims involve an Airway Order demonstrating the refractive measurement resulted in the order of hardware.

The Department variously asserts "An Airway bill is not evidence the spectacles were actually dispensed." However, there have been no patient complaints, and no complaints by Airway Optical. RP 6:31. The Department's fraud unit identified no allegations of misconduct. The Department provided no evidence the hardware that was ordered and supplied by Airway was not delivered and the Department had full access to Airway records to determine this fact. The Department asserted "To

justify billing...a provider must document... [including] facial measurements, evaluating and adjusting the physical fit of the hardware... Final Order ¶69. Each Airway Order provides just such measurements. ¶s 57-59, 71, 84 – CPT code 92370. This sub-finding involved approximately 10% of the claims. CPT code 92370 designates repair and refitting spectacles. It is similarly limited to 92340 and 92341 in that the AMA defined this code as specifically excluding dispensing. The Department tried to rewrite the code. Dr. Bircumshaw maintained a stock of new Airway Optical frames allowed him to more quickly serve patients with broken frames by re-fitting properly fitted lenses into a frame on-hand, and then replacing the dispensed frame with the one provided by Airway. The Department asserted that this practice does not qualify as obtaining a frame from Airway. Instead, in order to have functional glasses a patient was required to wait until the replacement frame arrived in the mail; service on the spot with the exact same frame as the one that will arrive in the mail many days later was not permitted without reference to any WAC. The Department's demand for form over substance was not warranted by any regulation and was arbitrary and capricious. ¶ 102 Interval between claims: The Department denied a number of claims because it claimed to be unable to determine from the documentation whether the proper interval occurred since the last similar service. Final Opinion ¶102. The first section of claims is for CPT code

99205. This CPT code was dismissed as an evaluation and management code and is no longer on review. The Department's own billing instructions stated that Airway Optical confirms that a hardware order falls outside of the required waiting interval between orders. Department Exhibit 32, p. E.2. Medicaid patients change providers and fall in and out of coverage eligibility with high frequency but are free to choose their provider. The provider has no control over the frequency with which an individual Medicaid patient requests new glasses and thus cannot be penalized for the patient's acts. It is unfair and needlessly punitive for the Department to deny payment when documentation that the service met the interval requirement and there is no showing that Airway was denied payment or its payments recouped.

The remaining findings involve a small number of claims or findings that were dismissed. (Findings 2-3b, ¶s 76-85 were dismissed).

Dr. Bircumshaw's billing records more than adequately substantiated that his services were provided, billed and the services description were proper. No Airway Optical order was rejected because of improper coding nor did the Department reject the initial payment request.

The Department neither alleged nor cited any evidence that services were not provided or that there was any concern with the quality of service provided by Dr. Bircumshaw. *The Department can cite no damage that resulted from any of the alleged coding inadequacies*.

There is a question of simple fairness here. The Department is pursuing recoupment of 65% of all payments made over three years for alleged technical violations without any allegation of harm to the public or the department. There are no records of complaints by patients, no record that services were not delivered and so the only logical conclusion is that services were delivered.

#### VI. ARGUMENT

#### A. Standard of Review

R.C.W 34.05.570 provides for review of the orders of an administrative law judge. The statute provides:

- 1) Generally.
- Except to the extent that this chapter or another statute provides otherwise:
- (a) The burden of demonstrating the invalidity of agency action is on the party asserting invalidity;
- (c) The court shall make a separate and distinct ruling on each material issue on which the court's decision is based; and
- (d) The court shall grant relief only if it determines that a person seeking judicial relief has been substantially prejudiced by the action complained of.
- (3) Review of agency orders in adjudicative proceedings. The court shall grant relief from an agency order in an adjudicative proceeding only if it determines that:
- (a) The order, or the statute or rule on which the order is based, is in violation of constitutional provisions on its face or as applied;
- (d) The agency has erroneously interpreted or applied the law;
- (e) The order is not supported by evidence that is substantial when viewed in light of the whole record before the court, which includes the agency record for judicial

review, supplemented by any additional evidence received by the court under this chapter; Or (i) The order is arbitrary or capricious."

Issues that involve statutory interpretation are reviewed <u>de novo</u>.

Dep't of Ecology v. Campbell & Gwinn, LLC, 146 Wash.2d 1, 9, 43 P.3d 4 (2002). The fundamental objective in statutory interpretation is to give effect to the legislature's intent. Id. If a statute's meaning is plain on its face, the Court gives effect to that plain meaning as an expression of legislative intent. State ex rel. Citizens Against Tolls v. Murphy, 151 Wash.2d 226, 242, 88 P.3d 375 (2004). The Court discerns plain meaning not only from the provision in question but also from closely related statutes and the underlying legislative purposes. Id. If a statute is susceptible to more than one reasonable interpretation after this inquiry, then the statute is ambiguous and the Court may resort to additional canons of statutory construction or legislative history. Campbell & Gwinn, 146 Wash.2d at 12, 43 P.3d 4.

The Court gives effect to all statutory language, considering statutory provisions in relation to each other and harmonizing them to ensure proper construction. *King County v. Cent. Puget Sound Growth Mgmt. Hearings Bd.*, 142 Wash.2d 543, 560, 14 P.3d 133 (2000). The Court avoids construing a statute in a manner that results in "unlikely, absurd, or strained consequences." *Glaubach v. Regence BlueShield*, 149 Wash.2d 827, 833, 74 P.3d 115 (2003).

While substantial weight is given to an agency's interpretation of the law within its expertise, such as regulations the agency administers, *Silverstreak, Inc. v. Dep't of Labor & Indus.*, 159 Wash.2d 868, 885, 154 P.3d 891 (2007), Dep't of Labor & Indus. v. Granger, 159 Wash.2d 752, 764, 153 P.3d 839 (2007), the Court is not bound by an agency's interpretation, and "deference to an agency is inappropriate where the agency's interpretation conflicts with a statutory mandate." Id. "[R]ules that are inconsistent with the statutes they implement are invalid." Id. (quoting *Bostain v. Food Express, Inc.*, 159 Wash.2d 700, 715, 153 P.3d 846 (2007)).

- B. 1. The Office of Administrative Hearings, its Board of Appeals and the Trial Court erred when each refused to apply Federal and State Medicaid payment policies that require payment for covered, medically necessary services substantiated by the State's own medical records.
  - a. The Administrative Law Judge and the Board of Appeals in its final order erred when they refused to properly acknowledge the State's medical records, exhibits when upholding the audit conclusions.
  - b. The Administrative Law Judge, the Board of Appeals and the Superior Court in its final orders erred when they refused to acknowledge that the exhibits, medical records, chart notes and patient records documented the provision of covered, medically necessary optometric services.

The Board of Appeals erred by conflating medical records with payment authority. The Board of Appeals stated the two are "inseparably intertwined" without ever establishing the traditional purpose of medical records within the medical field and without any consideration as to how a relatively simple service of optometry would differ in the intensity of documentation requirements from that of dentistry, or internal medicine or cardiac surgery. This was the stated audit objective.

### **Medicaid Defined**

Medicaid is a federal program, under which the state and federal governments share the cost of providing care for low income individuals.

Crista Senior Community v. Department of Social & Health Servs. 77

Wash.App. 398, 400-401, 892 P.2d 749 (1995)(citing Diversified Inv.

Partnership v. Department of Social & Health Servs., 113 Wash.2d 1 9, 21, 775 P.2d 947 (1989)). Under this joint program, the federal government delegates authority to the states to administer Medicaid and to devise their own reimbursement systems, provided the systems comply with certain federal guidelines. Title XIX of the Social Security Act, codified at 42 U.S.C. 1396a, et seq.

### **Federal Medicaid Payment Policies**

The Medicaid and CHIP Payment and Access Commission (MACPAC) was established in the Children's Health Insurance Program Reauthorization Act of 2009, and its charge was later revised in the Patient Protection and Affordable Care Act of 2010. Appointed by the U.S. Comptroller General, the 17 Commissioners have diverse backgrounds,

offer broad perspectives on Medicaid and CHIP, and represent different regions across the United States.

The Commission is a non-partisan, federal, analytic resource for the Congress on Medicaid and CHIP. MACPAC is the first federal agency charged with providing policy and data analysis to the Congress on Medicaid and CHIP, and for making recommendations to the Congress and the Secretary of the U.S. Department of Health and Human Services on a wide range of issues affecting these programs. MACPAC Report to the Congress on Medicaid and CHIP, June 2013, cover letter, accessed June 26, 2013 at http://www.macpac.gov/reports.

In 2011 the Medicaid and CHIP Payment and Access Commission reported to Congress that there existed no sources that systematically and comprehensively explain how states determine Medicaid payments or evaluate whether or not payments meet statutory requirements and promote value-based purchasing. MACPAC Report to the Congress on Medicaid and Chip, March 2011, p. 154, accessed June 26, 2013 at http://www.macpac.gov/reports. Medicaid payment policies are developed by each state with federal review limited to the general principles set forth in Section 1902(a)(30)(A) of the Social Security Act. Id. That provision requires that provider payments be consistent with efficiency, economy, quality, and access and safeguard against unnecessary utilization. Id. Within Medicaid "Abuse" is defined as:

"Provider practices that are inconsistent with sound fiscal, business, or medical practices, and result in an unnecessary cost to the Medicaid program, or in reimbursement for services that are not medically necessary or that fail to meet professionally recognized standards for health care." 42 CFR 433.304 and 42 CFR 455.2."

The Medicaid Integrity Program was established in the Deficit Reduction Act of 2005 (P.L. 109-107). Program integrity is identified in Title XIX of the Social Security Act (the Act) as an essential program function, and all Medicaid programs must have "methods and procedures relating to the utilization of and payment for care and services....as may be necessary to <u>safeguard against unnecessary utilization of such care and services and to assure that payments are consistent with efficiency, economy, and quality of care" (42 USC 1902(a) (30)).

Section 1902(a)(30)(A), codified as 42 USC 1396a (30)(A), is the foundational statutory provision that governs federal review of state payment methodologies by Medicaid. Id. p. 159 and the statute provides, 42 USC 1396a(30)(A):</u>

"A state plan for medical assistance must] (30)(A) provide such methods and procedures relating to the utilization of, and the payment for, care and services available under the plan (including but not limited to utilization review plans as provided for in section 1396b(i)(4) of this title) as may be necessary to safeguard against unnecessary utilization of such care and services and to assure that payments are consistent with efficiency, economy, and quality of care and are sufficient to enlist enough providers so that care and services are available under the plan at least to the extent that such care and services are available to the general population in the geographic area;..."

There are very few Federal regulations addressing Medicaid payment policy. 42 CFR Subpart F addresses requirements for states refunding of the Federal share of Medicaid overpayments to providers. It is the only Medicaid regulation that defines overpayment. Accordingly overpayment means the amount paid by a Medicaid agency to a provider which is in excess of the amount that is allowable for services furnished under section 1902 of the Act and which is required to be refunded under section 1903 of the Act. 42 CFR 433.304.

The DSHS Board of Appeals mis-stated the Federal regulation directing State Medicaid audits. The Board cited 42 CFR 447.202. That section specifies: "The Medicaid agency must assure appropriate audit of records if payment is based on costs of services or on a fee plus cost of materials." (Italic added). The payments in this matter were fee-for-service not based on cost of materials. The Federal Statute directing audits is actually 42 CFR 447.45(f) – Prepayment and Post-payment Claims Review. Accordingly "(2) The agency must conduct post-payment claims review that meets the requirements of parts 455 and 456 of this chapter, dealing with fraud and utilization control."

utilization and is consistent with efficiency, economy, and quality of care.

There is no direction made or authorization established to withhold

payment for any technical reason. Payment is made to providers when they provide necessary service to eligible recipients.

### Summary of Federal Medicaid Payment Policy

- At least as of 2011 there were no sources that evaluate whether state payments meet statutory requirements.
- State policies are developed with Federal review to enforce the principles set forth in Section 1902(a)(30)(A)
- Section 1902(a)(30)(A) directs state plans to safeguard against unnecessary utilization and to assure that payments are consistent with efficiency, economy, and quality of care

### **State Statutes and Regulations**

Consistent with the generality of Federal policy guidelines,
Washington State also characterizes Medicaid payment policy in general
terms. During the years of 2002 to 2006 the State of Washington defined
the term "overpayment" for the purposes of Medicaid reimbursement in
chapter 43.20B RCW, Revenue Recovery for Department of Social and
Health Services. Specifically "overpayment" means any payment or
benefit to a recipient or to a vendor in excess of that to which is entitled by
law, rule, or contract... RCW 43.20B.010(5).

RCW 74.09.200, Audits and Investigations, authorizes DSHS to audit the records of providers of service and provides:

The legislature finds and declares it to be in the public interest and for the protection of the health and welfare of the residents of the state of Washington that a proper regulatory and inspection program be instituted in connection with the providing of medical, dental, and other health services to recipients of public assistance and medically indigent persons. In order to effectively accomplish

such purpose and to assure that the recipient of such services receives such services as are paid for by the state of Washington, the acceptance by the recipient of such services, and by practitioners of reimbursement for performing such services, shall authorize the secretary or director, to inspect and audit all records in connection with the providing of such services.

The purposes of the authorizing statute are: 1) to protect the health and welfare of the residents of the state; 2) to assure that the recipient of such services receives such services as are paid for by the state; 3) to assure acceptance by the recipient of such services; and 4) to assure the acceptance of reimbursement for performing such services by practitioners. None of these purposes suggest granting any authority to DSHS to deny payment to practitioners for medically necessary services to covered individuals for technical violations unrelated to the provision of such service.

The Department itself established a regulation providing the guidelines for review of providers as authorized under RCW 74.09.200. As authorized by chapter 74.09 RCW, the medical assistance administration (MAA) monitors and reviews all providers who furnish medical, dental, or other services to eligible medical assistance clients. MAA determines whether the providers are complying with the rules and regulations of the program(s) and providing appropriate quality of care, and recovers any identified overpayments.

WAC 388-502-0230.

The regulation continues and specifies the 8 remedies available under the regulation:

- (3) MAA may determine that a provider's billing does not comply with program regulations or the provider is not meeting quality of care practices. MAA may do, but is not limited to, any of the following:
- (a) Conduct prepay reviews of all claims the provider submits to MAA;
- (b) Refer the provider to MAA's auditors (see WAC 388- 502-0240);
- (c) Refer the provider to Medicaid's Fraud Control Unit;
- (d) Refer the provider to the appropriate state health professions quality assurance commission;
- (e) Impose provisional stipulations for the provider to continue participation in medical assistance programs;
- (f) Terminate the provider's participation in medical assistance programs;
- (g) Assess a civil penalty against the provider, per RCW 74.09.210; and
- (h) Recover any monies that the provider received as a result of inappropriate payments.

The regulation does not define "inappropriate payments." The Federal authorizing statutes provide authority to the states only to safeguard against unnecessary utilization and to assure that payments are consistent with efficiency, economy, and quality of care. 1902(a)(30)(A). By this authority inappropriate payments would be payments for unnecessary utilization or inferior quality of care. Though neither is questioned in this matter, the Department does allege "overpayments."

RCW 43.20B.010(5) defined "overpayment" as any payment or benefit to a recipient or to a vendor in excess of that to which is entitled by

*law, rule, or contract*... "The rules for Medicaid payment policy are described only in separate regulations, and in particular in WAC 182-502: Administration of Medical Programs – Providers. The foundational regulation for provider compensation under Washington Medicaid is WAC 388-502-0010, Payment – eligible providers defined:

### "The department reimburses enrolled providers for covered medical services equipment and supplies they <u>provide to eligible clients</u>.

...

(2) To enroll a provider must sign a core provider agreement... The department and each provider signing a core provider agreement will hold each other harmless from a legal action based on the negligent actions or omissions of either party under the terms of the agreement."

The general conditions of payment are provided in WAC 388-502-0100:

The department reimburses for medical services furnished to an eligible client when all of the following apply:

- a) The service is medically necessary;
- b) The service is properly authorized
- c) The provider bills according to the department rules and billing instructions; "

These two regulations codify a payment policy that is entirely consistent with the federal guidelines; that is **the department will**reimburse enrolled providers for medically necessary services

delivered by enrolled providers. Inappropriate payments, or overpayments, would be for services not medically necessary, not properly authorized or not "billed" according to departmental rules. Thus reimbursement is dependent upon "Billing" according to departmental

rules and billing instructions; not "documenting" according to departmental rules. No other statute or regulation specifies the bases of "entitlement" to payment.

Finally, WAC 388-502-0020 states that enrolled providers must keep legible, accurate and complete charts and records to justify the services provided to each client... including the following:

- (i) Patient's name and date of birth;
- (ii) Dates of services;
- (iii) Name and title of person performing the service, if other than the billing practitioner;
- (iv) Chief complaint or reason for each visit;
- (v) Pertinent medical history;
- (vi) Pertinent findings on examination;
- (vii) Medications, equipment, and/or supplies prescribed or provided;
- (viii) Description of treatment (when applicable);
- (ix) Recommendations for additional treatments, procedures, or consultations;
- (x) X-rays, tests, and results;
- (xi) Dental photographs and teeth models;
- (xii) Plan of treatment and/or care, and outcome; and
- (xiii) Specific claims and payments received for services

Other than this generic list of categories the department does not provide any further guidance regarding what it considers adequate documentation. The Department does provide certain guidance regarding "billing." For both Vision Care and General Physician Providers there are specified Billing Instructions. The Vision Care billing instructions do not address medical records at all. They do refer providers to the DSHS General Information Booklet. Healthcare record requirements in the

General Information Booklet are limited to the following quoted statement:

The complete list of Healthcare Record Requirements can be found in WAC 182-502-0020. (The same as WAC 388-502-0020)

General Information Booklet; Understanding Policies Regarding Enrolled Providers; page 12.

This single WAC and its generalized categories provides the only record keeping guidance for the provider, guidance that Appellant met with the Department's own "medical record." Washington's Medicaid payment policy provides that enrolled providers will be reimbursed for properly authorized, medically necessary and provided covered service to eligible clients, billed properly and reflected in the records. The Department agreed to hold the provider harmless for negligent acts or omissions. Based on the Department's own records, the federal standards and the language of the regulations the Administrative decision as modified and the Superior Court must be reversed.

C. The Department's Decision and the Appellate Division's modification of the decision are internally so inconsistent that the remaining audit decisions requesting repayment of \$224,114.64 out of \$356,000 paid must be reversed.

The department sought to recoup nearly 65% of all payments made over the course of three years. It based its demand largely on the quality of records kept by Dr. Bircumshaw. The department did not claim the services were not provided, or that they were medically unnecessary, or that the beneficiaries were not eligible. There is no allegation of fraud or

any intent to obtain payment for service not provided. The actual amount in the audit before the Appellate Division reduction was \$11,703.11

The audit's projected sample of overpayments identifies those overpayments in Appendix B. The appendix is useful because it provides a finding number referring to the findings of fact in the ultimate administrative law decision. The Appellate Division reversed as to findings 2, 3A and 3B amounting to a total of 41 records or 10.8% of the audit. Exh. 20, Page 14, Bates # 677. This approach is inconsistent with the result of leaving other records intact but not reversing the decision of the administrative law judge. The actual amounts audited accounted for \$11,703.11 of a total billed amount of \$221,001.15 or 5.29%. Exh. 29, Page 4, Bates # 888.

Of critical importance are the records denominated in the findings under Findings number 1A and 1B and in the appendices. Finding 1A referred to the absence of records. The state only reviewed 41 cases in that category. In 10 or 24.39 % of the cases Airway Optical orders and other records existed. With only 75% remaining it is well below the 95% confidence level state alleges it met.

As for finding 1B, 128 cases or 98.46% of the 130 cases reviewed contained Airway orders. Of the combined total of 171 cases reviewed in findings 1A and 1B, 138 or 80.7% of the cases had Airway Optical orders

as part of the exhibits. These exhibits were introduced by the state itself and indexed herein at Appendix B.

A representative example occurs where the department cites billing for CPT code 92015, Determination of Refractive State. This procedure involves the measurement of the deviance of an individual's eyesight from a standard. It directs the supplier of eyeglasses which prescription is required.

Dr. Bircumshaw's records included the order he placed with the department's designated supplier indicating the refractive measurements he derived and the date of the order. The department maintains this is insufficient to substantiate that a refractive measure was taken. Bates #000151, Final Order, p. 16, ¶53. This is the type of discrepancy for the vast majority of the funds the department seeks to withhold.

Dr. Bircumshaw's records also include his patient calendar indicating which patients are seen at what times and dates. The calendar dates correspond to the dates on order forms placed with the department's designated supplier. The department contends this is an inadequate record to substantiate the timing of the visit and refractive measure. Id. Medicaid records are often comprised of multiple record forms, i.e. x-rays, nurses' notes, exam charts, lab reports and others. These medical records are no different. Dr. Bircumshaw maintained sufficient records to substantiate the services billed were provided.

The Department has no less than 8 options from which to choose in responding to a provider it finds to be out of compliance with program regulations or at risk regarding quality of care. WAC 388-502-230(3)(a-h). The question for the court is *if it is the proper remedy for the department to withhold payment or impose Draconian penalties for medically necessary, covered services, when the department is required to review records from a number of sources to verify the service?* The Department's approach ignores the controlling federal rules which mandate payment for covered, medically necessary services to eligible beneficiaries.

D. The decisions of the Office of Administrative Hearings, its Appellant Division and the Superior Court should overturned because the Department's failure to abide by Federal Medicaid payment rules violated Appellant's substantive due process rights, resulted in a punitive confiscation and ignored the effect of audits' internal inconsistencies.

Punitive damages are not permitted in Washington unless expressly authorized by the Legislature. Zuver v. Airtouch

Communications, Inc., 153 Wash.2d 293, 330, 103 P.3d 753 (2004), citing Barr v. Interbay Citizens Bank of Tampa, Florida, 96 Wash.2d 692, 699, 635 P.2d 441, 649 P.2d 827 (1981). Damages are given as a compensation or satisfaction to the plaintiff for an injury actually sustained by him from the defendant. Spokane Truck & Dray Co. v. Hoefer Et Ux., 11 L.R.A. 689, 2 Wash. 45, 53, 25 P. 1072 (1891). They

should be precisely commensurate with the injury, neither more nor less; and this whether it be to his person or his estate. Id.

Compensatory damages are intended to redress a plaintiff's concrete loss, while punitive damages are aimed at the different purposes of deterrence and retribution. *State Farm Mutual Automobile Insurance Co. v. Campbell*, 538 U.S. 408, 408-9,123 S.Ct. 1513 (2002). Because civil defendants are not accorded the protections afforded criminal defendants, punitive damages pose an acute danger of arbitrary deprivation of property, which is heightened when the decision maker is presented with evidence having little bearing on the amount that should be awarded. Id. p. 409.

DSHS neither alleged nor proved that it sustained any damage from the alleged documentation inadequacies of Dr. Bircumshaw.

Compelling Bircumshaw to pay 65% of his earnings back to the Department without any allegation that services were not performed or that there was any question of quality is both arbitrary and a punishment. The Department has not suffered any damage in this matter and damages associated with punishment are not available as a remedy in Washington.

### **E.** Providing Service Without Compensation Generates an Unjust Enrichment For the State

Washington Courts analyze restitution obligations in a manner analogous to tort or contract, <u>Davenport v. Washington Education</u>

Association, 147 Wn.App. 704, 1726, 97 P.3d 686 (2008). Unlike the law

of conversion, which requires that the transferee have wrongfully received the property of another, the law of restitution requires only that the transferee have received the property of another under circumstances that result in the transferee's "unjust enrichment." Id.

In the present matter the Department does not dispute that medically necessary services were rendered to eligible beneficiaries.

Thus, the Department obtained value for which compensation would serve as consideration. Were the Department to retain that compensation, the Department would receive value without cost. That cost would be borne by Dr. Bircumshaw who would be left in the position of being contractually obligated to provide services for which he would ultimately not receive any compensation.

There is nothing in the law or in the evidence presented to suggest that a proper motivation for DSHS is to enlist medically necessary services with the ability to withhold compensation for technical reasons not associated with the quality or volume of service provided.

### F. DSHS Withholding of Payment is a Violation of Substantive Due Process and Void As A Matter of Law

The Fourteenth Amendment of the U.S. Constitution holds that no state shall deprive any person of life, liberty, or property, without due process of law. Article 1, Section 3 of the Washington State Constitution provides that no person shall be deprived of life, liberty, or property, without due process of law. The due process clause of the Fourteenth

Amendment provides greater protection than does Article 1, Section 3, and the federal constitution must prevail. *Olympic Forest Products, Inc. v. Chaussee Corp.*, 82 Wn.2d 418, 421-422, 511 P.2d 1002 (Wash. 1973).

The Due Process Clause of the Fourteenth Amendment prohibits the imposition of grossly excessive or arbitrary punishments on a tortfeasor. *Cooper Industries, Inc. v. Leatherman Tool Group, Inc.*, 532 U.S. 424, 433, 121 S.Ct. 1678, 149 L.Ed.2d 674 (2001); *BMW of North America, Inc. v. Gore*, 517 U.S. 559, 116 S.Ct. 1589, 134 L.Ed. 2d 809 (1996); see also id., at 587, 116 S.Ct. 1589. (BREYER, J., concurring)

("This constitutional concern, itself harkening back to the Magna Carta, arises out of the basic unfairness of depriving citizens of life, liberty, or property, through the application, not of law and legal processes, but of arbitrary coercion").

The reason is that "[e]lementary notions of fairness enshrined in our constitutional jurisprudence dictate that a person receive fair notice not only of the conduct that will subject him to punishment, but also of the severity of the penalty that a State may impose." Id., at 574, 116 S.Ct. 1589; Cooper Industries, at 433, 121 S.Ct. 1678.

To the extent an award is grossly excessive, it furthers no legitimate state purpose and constitutes an arbitrary deprivation of property. *Pacific Mut. Life Ins. Co. v. Haslip*, 499 U.S. 1, 19, 42, 111 S.Ct. 1032, 113 L.Ed.2d 1 (1991). Defendants subjected to punitive damages in

civil cases have not been accorded the protections applicable in a criminal proceeding. This increases our concerns over the imprecise manner in which punitive damages systems are administered. We have admonished that "[p]unitive damages pose an acute danger of arbitrary deprivation of property. *State Farm Mutual Automobile Insurance Co. v. Campbell*, 538 U.S. 408, 417,123 S.Ct. 1513 (2002). The Courts concerns are heightened when the decision maker is presented, as we shall discuss, with evidence that has little bearing as to the amount of punitive damages that should be awarded. Id. at 418.

In light of these concerns, in <u>BMW v. Gore</u>, supra, the Court instructed lower courts reviewing punitive damages to consider three guideposts: (1) the degree of reprehensibility of the defendant's misconduct; (2) the disparity between the actual or potential harm suffered by the plaintiff and the punitive damages award; and (3) the difference between the punitive damages awarded by the jury and the civil penalties authorized or imposed in comparable cases. <u>BMW of North America, Inc. v. Gore</u>, p. 575. These guideposts were reiterated in Cooper Industries, supra, and appellate courts were mandated to conduct de novo review of a trial court's application of them to the jury's award. <u>Cooper Industries, Inc. v. Leatherman Tool Group, Inc.</u>

In comparing punitive damages to compensatory damages in Haslip, a fraud case, a ratio of 4–to–1 was "close to the line" but did not

"cross the line. A 10-to-1 ratio was upheld in <u>TXO Prod. Corp. v.</u>

<u>Alliance Resources Corp.</u>, 509 U.S. 443, 460, 113 S.Ct. 2711, 2721-22, 125 L.Ed.2d 366 (1993).

In the present case DSHS has not alleged any damages at all. In fact the Department expressly declined to consider whether services were provided or not. DSHS asserted to Dr. Bircumshaw on the record that nobody would even ask him if services were provided or not. It was not a concern of the audit.

Despite the Department dismissing any interest to investigate whether any actual harm occurred, DSHS insists on demanding the return of approximately 65% of all payments made over three years. Their demand has no association at all with any actual harm, and it can only be characterized as a punishment for alleged technical violations of documentation guidelines, not regulations.

The Due Process Clause of the Fourteenth Amendment prohibits the imposition of grossly excessive or arbitrary punishments. Applying the <u>BMW v. Gore</u> guideposts validates the grossly excessive and arbitrary extent of the Departments imposition of punishment. The Supreme Court instructed courts to determine the reprehensibility of a defendant by considering whether: the harm caused was physical as opposed to economic; whether the tortious conduct evinced an indifference to or a reckless disregard of the health or safety of others; the target of the

conduct had financial vulnerability; the conduct involved repeated actions or was an isolated incident; and the harm was the result of intentional malice, trickery, or deceit, or mere accident. <u>State Farm Mutual</u>

<u>Automobile Insurance Company v. Campbell</u>, 538 U.S. at 419.

Bircumshaw did not cause physical harm. No economic harm is even alleged. His conduct did not involve the safety of others or confront a party that was financially vulnerable. There is no allegation of malice or deceit. There is no alleged compensatory harm. For the third guidepost, a comparison of the punitive damage and civil penalties from comparable cases, there are no known comparable cases.

### VII. Conclusion and Request For Relief

Federal and State authority direct the Department to make payment when medically necessary and covered services are provided to eligible beneficiaries. The State's own medical records confirm that services were provided. Denying payment in such a circumstance would generate an unjust enrichment to the State. The Department's demand for payment without showing of any actual harm amounts to an unauthorized punitive damage. The state's demand for 65% of all compensation over three years without any showing of actual harm is a violation of substantive due process. This Court should reverse the Department and the Trial Court. Sufficient records were provided to substantiate medically necessary and

covered service, properly authorized when required were provided to eligible beneficiaries.

The audit conclusions were not reasonably based on the evidence and failed to meet the Department's own reliability standard. The reversal of certain findings, 3A and 3B, with the same records and facts as over 10 % of the 1A and 1B and 2 findings mandate reversal of this order.

Submitted on the 23 day of October, 2014.

Peter Kram, WSBA # 7436

Attorney for Appellant

Kram and Wooster P.S.

1901 South I Street

Tacoma, WA 98405

253-272-7929

### Appendices:

- A. DSHS Medicaid Records, Airway Optical Orders
- B. Reversed Findings 3A & 3B Recap

### Appellant's Appendix A State of Washington v. Bircumshaw

Court of Appeals Division II 45923-0-II VI N X3

	Ainayo	i to C	len	PR	OVIDER NAME	PROVIDER NAME AND ADDRESS
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Alway Oplical	ב <u>ק</u>	e G	Pacific Vision	
	USE ONLY FOF	USE ONLY FOR WASHINGTON STATE	N STATE	H	HL Bircumshaw,	shaw, OD
	MEDIC	MEDICAID SERVICES		462	4620 Pacific Avenue	venue
Tray	#	Date Ordered:	red: 1803	18 55 18 55 18 55	facoma, Washington 98468-7738	hington
1	SPHERE	CYLINDER	AXIS	PRISM	BASE	DECENTRATION
Œ	25,0	05:0-	081		·	
	-0.35	0.50	011			
	ADD POWER	HEIGHT	WIDTH	INSET	TOTAL INSET	PUPILLARY WIDTH
Я						DISTANCE NEAR
						63
ig /	Single Vision Flat Top	yp Round	7x28 Trifocal		Other	Safety
Glass	Plastic	Jews Z		Scratch	[] []	
Fa	Frame Name	7505	Eye Size	OBL	Temple Length	Temple Type Circ.
Fran	Frame Color	1000	子 a	83	130	STD
SPE	SPECIAL INSTRUCTIONS	SNO		:		
	ALL ITEMS	S IN THIS SEC	TION MUST	BEFIL	LED OUT CO	ALL ITEMS IN THIS SECTION MUST BE FILLED OUT COMPLETELY
PA	PATIENT NAME (LAST, FIRST, MI)	4		0		
S S			9 4 8			0 0 0
Ç	ICD-9 DX CODE	O.	PRIOR AUTHORIZATION #	RIZATIO	* Z	
E E	PROVIDER #	210	2 9 8	3		Drop Ball Final Insp.
					0.000	

NUMERICALLY CONTROLLED FORM

894585

**USE ONLY ONCE** 

Please Print Clearly

Call Toll Free: 1-888-606-7788

Fax: 1-888-606-7789

Airway Optical

## FOR FAX USE ONLY

A COPY OF THE CLIENT'S DSHS COUPON MUST BE ATTACHED HERE

ON Source of the Source of the

אטו טו טט וצ.טטף

Please read the back of this card.

WIEDICAL IDENTIFICATION CARD

Proposition of Section 1 This Card Valid From: 04/01/2006

ROI TO: 04/30/2006

LANGUAGE: RUSSIAN Medical Coverage Information Initials Insurance Mediane HF00

Datok Restriction Hospics DB Cfent Cities

20 saladeal Maradell

Handalder Hovelydes

CNP

. 901752 TOSBOOM

SHOW TO MEDICAL PROVIDER AT TIME OF EACH SERVICE OF BACK SERVICE

NOT TRANSFERABLE

COP

SIGNATURE (Not Valid Unless Signed)

			100				The second secon			The state of the s	3			TITE AND THE PARTY OF THE PARTY	
													21, M.J.	81, M.I.	21, M.I.
0.													M. M. Market and M.	DI. M.L.	21, M.I.
													LALL MATTER STATE	Of AA.	DI. M.I.
													AND THE STATE OF T	Action to the second second	一般のない はないことをなる
												A comment of the comm		Marin Charles on a constant	The state of the s
(73)					133		13		70 -0 (73)	(73)				The second secon	Che of
30 20 135	30 20 135	30 20 135	30 20 135	30 20 135	30 20 135	30 20 135	30 20 135	30 20 135	30 20 135	30 20 135	20 20	30 20	20 20	30 20	20 20 20
53 20 135	55 00 135	55 20 135	55 00 135	50 00 135	55 00 135	55 00 135	55 00 135	55 20 135	50 00 135	53 20 135	53 30	53 20	25 20	55 25	55 20
53 20 135	55 De 65	53 20 135	53 w 135	53 20 135 Whi	53 20 135	53 20 135 14	55 20 135	53 20 135	52 20 135	53 20 135	53- 20	55 20	55 50	25 - 20	55 FS
52 00 135	53 De 55	53- 20 135	53- 20 135	53- 20 135 Mali	52 20 135	53- 20 135	59 DE 65	52 00 135	53 00 135	52 00 135	S 52 20	53-20	55 28	52 -20	52 53
53 02 135	53 DE 65	28 0c 65	53 05 65	53 De 65	53 De 55	53 05 65	53 00 135	55 00 65	58 vs 65	53 02 135	25 52	53 20	25 - 20	55 - 55	25 - 25
53-20 135	53- 20 135	53 20 135	53 05 65	55 00 135	53 00 135	55 00 135	53 00 135	53 20 135	55 00 135	53-20 135	US 53	55 20	53 20	25 28	111 53 20 1
53 20 135	59 0c - 65 - 116 - 1175 - 116 - 1175	55 20 135 100 135	55 20 135 135	59 00 135 135	25 0c - 65 - 75 - 75 - 75 - 75 - 75 - 75 - 75	53 20 135 135	25 0c - 65 - 75 - 75 - 75 - 75 - 75 - 75 - 75	53 20 135	59 00 135	53 20 135	53 20	UZ 52 20	53 28	1 02 ES 20	53 - 20 1
50 00 135	50 00 135 Co 135	50-20 135	50 20 135	50 00 135 CO 135	50 20 135	50 00 135	50 20 135	50-20 135	50 00 135 C	50 00 135	53 20	53 20	53 20 1	53 20 1	57 20 1
50 20 135 C	50 20 135 C	50 20 135 Bla Call Tropie Call 1955	50 20 135 Bla Call Tropie Call 135	50 20 135 Call 1900 Call 1	50 20 135 Car Star Car Tomple Car 135 Aug 135	50 20 135 00 imple 00	50 20 135 CC 135	50 20 135 00 Imple	EMF 919 Frosts Dos. Imple Co.	50 20 135 C	57 20 20	53 20	50 20 1	50 ST 50 DB.	53 20 1
50 20 135 CONTRACTOR OF THE CONTRACTOR OF 135	50 00 135 CO 135	50 20 135 C	50 20 135 C	50 20 135 CO 135	50 20 135 COL THOUSE COL THOUSE COL	50 20 135 CC 535 DBL THING CO	50 20 135 COL THOUGH COL	50 20 135 CO 135	50 20 135 CO 135	50 20 135 CONTRACTOR OF THE CONTRACTOR OF 135	50 - 50 - 20	53 20	50 50 20 1	50 Son 100 Son 200 1	50 20 1
50 20 135 COLLE 919 ET STO 135	50 08 Throng 6 50 08 Throng 6	55 20 135 CE STONE CO	55 20 135 EMF 919 Er 86.0 DBL THOSE CO	50 08 Throng 6	50 20 135 COLOR THOSE COLOR TH	55 20 135 EMF 919 Engles 084 Timple 6	50 20 135 COLOR THOSE COLOR TH	50 20 135 COLLE 919 EV STO 135	50101 F.M.F. 919 Er 860 DBL THOMB E	50 20 135 COLLE 919 ET STO 135	50 20 St. 500	52 20	53 20 1	53- 20 1	50 080 SMF 919 EN 800 080
50 20 135 COLLE 919 EV 84 DOR TIMPLE CO	50- 20 135 COLOR THOSE COLOR T	50 20 135 COLLE 919 EV Str. DOS. Trople CO.	50 20 135 EMF 919 EV 30 135	50 00 Tople Co	50 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 10 10 10 10 10 10 10 10 10 10 10 10	50 20 135 COLOR FINE DBL TIMBLE COLOR 135	50 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 135 00 10 10 10 10 10 10 10 10 10 10 10 10	50 20 135 COLOR FINE OBL TIMPLE COLOR	50 00 135 00 135	50 20 135 COLLE 919 EV 84 DOR TIMPLE CO	53- 20	53 20 St. 1000	53 20 1	53 20 1	53- 20 1
Solon EMF 919 Fresh DBL Tomble C	Solon EMF 919 Fresh DBL Throp C	Solon EMF 919 Fresh DBL Tomble C	Solon EMF 919 Fressor Day Trople a	Solot EMF 919 Froster Day Tropic &	Solon EMF 919 Fresh DBL Tomble C	Solon EMF 919 Fressor Day Trople C	Solon EMF 919 Fresh DBL Tomble C	Solon EMF 919 Fresh DBL Tomble C	Solot EMF 919 Frestor DBL Throle C	Solon EMF 919 Fresh DBL Tomble C	50 081 EMF 919 Erosus 081	50 EMF 919 Eriste 08.	Solot EME 919 Ersto Det	50 08. 5 MF 919 Erste 08.	ENGENIA FINE 919 FIRSTS DEL
Solor EMF 919 Frester DBL THING G	Solot EMF 919 Fresh DBL Tople C	50 00 135 COLOR THEN CO.	50-00 EMF 919 Enster 086 imple 0	Solor EMF 919 Frsts 081 more 0	Solot EMF 919 Ersts Day Trople C	50-00 EMF 919 EVSUS DBL THING C	Solot EMF 919 Erstr 086 imple a	50 00 EMF 919 Er Str. DBL THIPLE CO	Solor EMF 919 Evision Dec imple C	Solor EMF 919 Frester DBL THING G	50 DEL SIGN COLOR STATE OFF. STATE OFF.	53 20 Sh. 519 Et 860 061	Solor EMF 919 50800 DBL	50 081 5MF 919 Erste 081	53 20 1
Solor EMF 919 EVSto Der imple C	50 20 135 COLOR THEN CO.	Solor EMF 919 Evision Dec mone C	Solor EMF 919 Evision Del more C	Solot EMF 919 Evision Dec imple C	Solor EMF 919 Evision Dec imple C	Solor EMF 919 Evision Del imple C	Solor EMF 919 Fr 860 DBL THIPLE CO	Solor EMF 919 EVSto Der Trople C	Solot FIRF 919 Enster Day 135	Solor EMF 919 EVSto Der imple C	53 20 Sec. 57 19 500 080	53- 20	Solor FINF 919 51860 084	50 000 EMF 919 51860 064 20 1	53 20 1
Solor FIRF 919 Fresh Day Thole C	Color FIRF 919 Fresh Der Tople Co	Color F.M.F. 919 Er.86. Det. Timple C.	Color F.M.F. 919 Er.86. Det. Timple C.	Color F. M.F. 919 Er. 842 Dec. Topolo	Solor FIRF 919 Fresh Day Thole C	Color F. M.F. 919 Er. 84.0 Dec. Timple C.	Solor FIRF 919 Fresh Det imple 6	Color F.M.F. 919 Er.86. Dec Tople C.	Color FIRF 919 Froster Dar Tomple Co	Solor FIRF 919 Fresh Day Thole C	Color EMF 919 Fr 840 DEC	53- 20	Color FMF 919 Ex 840 DBC 50 20	Color EMF 919 Ex 860 DB.	5 50 July 5 MF 919 51 30 July 53 20 July 53
Color F.M.F. 919 Er.84. Dec. Topio C.	Color FMF 919 Er 8tr DBL Tomble C	Color FIRF 919 Froster Dec Torolo Co	Color FIRE 919 Er 8tr Det Imple C	Color FIRE 919 Er 8tr Dec Trople C	Color F. M.F. 919 Er. 84.0 Dec. Tombio C.	Color FIRE 919 Er 8tr Det Imple C	Color F. M.F. 919 Erstr. Der Timple C. 135	Color EMF 919 Er 8tr Del Imple C	Color FMF 919 Er 812 081 Tombio C	Color F.M.F. 919 Er.84. Dec. Topio C.	Color EMF 919 Fr 840 DBC	Color EMF 919 Fresh OBL	Color FMF 919 Ex 840 084	Color EMF 919 Fresh DB.	5 - 20 10 10 10 10 10 10 10 10 10 10 10 10 10
Color FIRF 919 Frosts Dec Topolo	Color EMF 919 Ensus Do. 135	Color FMF 919 Erstr Da Tomble C	Color EMF 919 Erestra Dat Trople C	Color ENF 919 Ensus DBL Tropis C	Color FIRF 919 Er Str Del Imple C	Color EMF 919 Erestra Dat Tropia Co	Color EMF 919 Erester DOL From CO	Color FMF 919 Er str Da Tombio C	Color EMF 919 Ensus DBL Imple C	Color FIRF 919 Frosts Dec Topolo	Color EMF 919 For 860 DBL	Color EMF 919 Fresh DBC	Color FMF 919 Fresh DBL	Color EMF 919 Ensus Day	53- 20
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
Color EMF 919 Erester DBL THOR CO.	Color EMF 919 Erester Dos. Temple Co	Color ENF 919 Erestra Doi Imple C	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Ensus Do. 135	Color EMF 919 Erester DOL From CO	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Erester DOL From CO	Color FMF 919 Erists DBL Tomble C	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DBL THOR CO.	Color EMF 919 Fr 860 DB.	53 20	COLON FINE 919 EVISTO DEL	Color EMF 919 Ensus Day	53- 20
Color EMF 919 Erester DBL THOR CO.	Color EMF 919 Erester Dos. Temple Co	Color ENF 919 Erestra Doi Imple C	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Ensus Do. 135	Color EMF 919 Erester DOL From CO	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Erester DOL From CO	Color FMF 919 Erists DBL Tomble C	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DBL THOR CO.	Color EMF 919 Fr 860 DB.	53 20	COLON FINE 919 EVISTO DEL	Color EMF 919 Ensus Day	53- 20
Color EMF 919 Erester DBL THOR CO	Color EMF 919 Erester Dos. Temple Co	Color ENF 919 Erestra Doi Imple C	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Ensus Do. 135	Color EMF 919 Erester DOL From CO	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Erester DOL From CO	Color FMF 919 Erists DBL Tomble C	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DBL THOR CO	Color EMF 919 Fr 860 DB.	53 20	COLON FINE 919 EVISTO DEL	Color EMF 919 Ensus Day	53- 20
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
Color EMF 919 Eruster Day imple Co	Color EMF 919 Erester DOS. Trople Co	Calar EMF 919 Erester Day 135	Solon EMF 919 Erester DOL From Co	Solon EMF 919 Erester DOL TASE	Color EMF 919 Erester DBL Throle CO	Solon EMF 919 Erester DOL From Co	Color EMF 919 Erestor DBL Throle CO	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DOS. Tropie Co	Color EMF 919 Eruster Day imple Co	50 08, 5MF 919 Er860 08,	5000 FMF 919 F1860 086	Solo EME 919 Erestra Day	COLON EME 919 ENSUS DEL	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
Color EMF 919 Eruster Day imple Co	Color EMF 919 Erester DOS. Trople Co	Calar EMF 919 Erester Day 135	Solon EMF 919 Erester DOL From Co	Solon EMF 919 Erester DOL TASE	Color EMF 919 Erester DBL Throle CO	Solon EMF 919 Erester DOL From Co	Color EMF 919 Erestor DBL Throle CO	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DOS. Tropie Co	Color EMF 919 Eruster Day imple Co	50 08, 5MF 919 Er860 08,	5000 FMF 919 F1860 086	Solo EME 919 Erestra Day	COLON EME 919 ENSUS DEL	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
Color EMF 919 Eruster Day imple Co	Color EMF 919 Erester DOS. Trople Co	Calar EMF 919 Erester Day 135	Solon EMF 919 Erester DOL From Co	Solon EMF 919 Erester DOL TASE	Color EMF 919 Erester DBL Throle CO	Solon EMF 919 Erester DOL From Co	Color EMF 919 Erestor DBL Throle CO	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DOS. Tropie Co	Color EMF 919 Eruster Day imple Co	50 08, 5MF 919 Er860 08,	5000 FMF 919 F1860 086	Solo EME 919 Erestra Day	COLON EME 919 ENSUS DEL	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
Color EMF 919 Erester DBL THOR CO	Color EMF 919 Erester Dos. Temple Co	Color ENF 919 Erestra Doi Imple C	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Ensus Do. 135	Color EMF 919 Erester DOL From CO	Color ENF 919 Ensus Dec Imple Co	Color EMF 919 Erester DOL From CO	Color FMF 919 Erists DBL Tomble C	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DBL THOR CO	Color EMF 919 Fr 860 DB.	53 20	COLON FINE 919 EVISTO DEL	Color EMF 919 Ensus Day	53- 20
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
50100 EMF 919 Erester DBL THOUGH CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Eruster Dou Imple Co	Color EMF 919 Erester Dor Imple Co	Color EMF 919 Erester Doe Temple Co	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erester Dos Imple a 50 20 135	Color EMF 919 Erester DBL THOLE CO	Color EMF 919 Erestra Dor Imple Co	Color EMF 919 Erester DOL Tomble Co	50100 EMF 919 Erester DBL THOUGH CO	53 20 20	53 20	Color FMF 919 Fresh Da.	50100 EMF 919 Ensus Del	53 20 1
Color EMF 919 Eruster Day imple Co	Color EMF 919 Erester DOS. Trople Co	Calar EMF 919 Erester Day 135	Solon EMF 919 Erester DOL From Co	Solon EMF 919 Erester DOL TASE	Color EMF 919 Erester DBL Throle CO	Solon EMF 919 Erester DOL From Co	Color EMF 919 Erestor DBL Throle CO	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DOS. Tropie Co	Color EMF 919 Eruster Day imple Co	50 08, 5MF 919 Er860 08,	5000 FMF 919 F1860 086	Solo EME 919 Erestra Day	COLON EME 919 ENSUS DEL	53 20 1
Color EMF 919 Eruster Day imple Co	Color EMF 919 Erester DOS. Trople Co	Calar EMF 919 Erester Day 135	Solon EMF 919 Erester DOL From Co	Solon EMF 919 Erester DOL TASE	Color EMF 919 Erester DBL Throle CO	Solon EMF 919 Erester DOL From Co	Color EMF 919 Erestor DBL Throle CO	Color EMF 919 Erester Dos. Imple Co	Color EMF 919 Erester DOS. Tropie Co	Color EMF 919 Eruster Day imple Co	50 08, 5MF 919 Er860 08,	5000 FMF 919 F1860 086	Solo EME 919 Erestra Day	COLON EME 919 ENSUS DEL	53 20 1
Color EMF 919 EVStr DB. Throle C. 53- 20 135	Color EMF 919 Erester DBL Trople CO	Solot EMF 919 Erester DOS. Tomble Co	Color EMF 919 Erester DOS. Tropie Co	Color EMF 919 Erester DBL TMP10 CO	Color EMF 919 Eruster Der Fronte Co	Color EMF 919 Erester DOS. Tombre Co	Color EMF 919 ENSES DBL THOUS CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Erester DBL Trople C	Color EMF 919 EVStr DB. Throle C. 53- 20 135	53- 20	53 20	COLOR FIRE 919 Enstro 061	Color EMF 919 5484 064 50 1	53 20 100 100 100 100 100 100 100 100 100
Color EMF 919 EVStr DB. Throle C. 53- 20 135	Color EMF 919 Erester DBL Trople CO	Solot EMF 919 Erester DOS. Tomble Co	Color EMF 919 Erester DOS. Tropie Co	Color EMF 919 Erester DBL TMP10 CO	Color EMF 919 Eruster Der Fronte Co	Color EMF 919 Erester DOS. Tombre Co	Color EMF 919 ENSES DBL THOUS CO	Color EMF 919 Erester DOL Tomble Co	Color EMF 919 Erester DBL Trople C	Color EMF 919 EVStr DB. Throle C. 53- 20 135	53- 20	53 20	COLOR FIRE 919 Enstro 061	Color EMF 919 5484 064 50 1	53 20 100 100 100 100 100 100 100 100 100
Color F. M. F. 919 Engles DBL Throle C. 35- 20 135	Color EMF 919 ENSIDO DEL TORDO CO	Color EMF 919 Ensus DBL imple G	Color EMF 919 Ensus DBL imple C	Color EMF 919 ENSUS DBL THOUS CO	Color EMF 919 Enstro Der mole C	Color EMF 919 Ensus DBL imple C	Color EMF 919 Enstro Der mole C	Color EMF 919 Erester DBL THEFE CO	Color EMF 919 ENSUS DBL THOUS CO	Color F. M. F. 919 Engles DBL Throle C. 35- 20 135	55 20	Color EMF 919 FIRSTO OBE 50 20	5000 EME 919 511860 061	Color FIRE 919 511860 084	50 20 100 SALE 919 EN 800 080
Color F. M.F. 919 Erstr. Der Timple C. 135	Color F. M.F. 919 Engles Del mole C	Color EMF 919 Enste Der From Co	Color EMF 919 E11860 DBL TOPOLO CO	Color FMF 919 F1850 DBL TOPOLO CO	Color F. M.F. 919 Er 860 DBL Throle C.	Color EMF 919 E11860 DBL TOPOLO CO	Color F. M.F. 919 Er 860 DBL Throle C.	Color EMF 919 Fr86 DBL TWOLD CO	Color FIRF 919 F1850 DBL TOPOLO CO	Color F. M.F. 919 Erstr. Der Timple C. 135	Color FMF 919 Fr860 000	Solor EMF 919 Fr 840 DEC 50	Solor FMF 919 51860 064 50	Color F.M.F. 919 Enstro OBL 53- 20	53- 20 1
Color FIRE 919 Fr 800 080 Topolo CO	Color F. M.F. 919 Er 812, OB. Throle C.	Color FMF 919 Fr860 DBL TOPOLO CO	Color F.MF 919 Fr860 DBL Throle C	Color F. M.F. 919 Fr86. Dec Trops	Color FIRF 919 Fr 84 DBL TWOLD CO	Color F.M.F. 919 Fr860 DBL TOPE C	Color FIRF 919 Fr 84 DBL TWOLD CO	Could' FMF 919 Er Str. DBL Tomble C	Color F. M.F. 919 Er 86. Dec Tropie C	Color FIRE 919 Fr 800 080 Topolo CO	Color FMF 919 FUSE 086	Color EMF 919 Fr 840 084	Color FMF 919 511860 084	Color EMF 919 EVBU DBC 53 20	EMF 919 Fresh DB.
Color EMF 919 Frsts DB. Imple C	Color F. M.F. 919 Er Str. Del. Trople &	Color EMF 919 Evision Day Trople a	Color F. M.F. 919 Fr 84 DB. Tople C.	Color F. M.F. 919 Fr 812 081 Tmple Q	Color EMF 919 - Er Str. DBL Trople &	Cala EMF 919 Erstr Da. Trople C	Color EMF 919 - Er Str. DBL Trople &	Color EMF 919 Erstr Day Imple a	Color FIRF 919 Fr 84 DBL Tmple C	Color EMF 919 Frsts DB. Imple C	Color FMF 919 Fr 840 086	Color EMF 919 Fr 860 DB.	Solon EMF 919 Fr860 081	Color FMF 919 Fr860 081	ENF 919 Fresh Der
Solo EMF 919 Fresh DB. Tomble C	Color EMF 919 Frsts DB. Trops C	Solor EMF 919 Ersts DBL Trople C	Solor EMF 919 Fresh DBL Throle C	Color EMF 919 - Er Str DB. Trople &	Solo EMF 919 Fresh Day Tomble C	50-00 EMF 919 Ersts 086 imple 0	Color EMF 919 Fresh Day Trople C	Solor EMF 919 Fresh DBL Trople G	Color EMF 919 - Er Str DBL Trople &	Solo EMF 919 Fresh DB. Tomble C	50 DEL 519 ET SUD DEL	Solon EMF 919 Er 8th 08.	5000 EMF 919 511840 084	Color FMF 919 Fr86 08.	53 20 1
Solor EMF 919 Enster Dec imple 3	Color EMF 919 Fresh DBL Trople C	Solor EMF 919 Evision Dec mone C	Solor EMF 919 Evision Del more C	Solor EMF 919 EVStr Det move &	Solor EMF 919 Erstr DBL imple a	Solor EMF 919 EVSto Del imple C	Color EMF 919 Frish 086 imple 0	Color EMF 919 EVSto Dec more C	Color F. M.F. 919 Eristo Dei Imple C. 135	Solor EMF 919 Enster Dec imple 3	Color FMF 919 FIRSTO OBL	53- 20	Color F.M.F. 919 51-860 081	Color F.M.F. 919 Fr86 086	6 Color F.M.F. 919 51860 080
Color F.M.F. 919 Erstr. Der Timple C.	Color EMF 919 Ensus DBL Tropie C	Color FIRE 919 Er 8tr Det Trople C	Color FIRE 919 Er Str Det Trople C	Color ENF 919 Er Str DBL Tomble C	Color F.M.F. 919 Erstr. Der Tmole C.	Color FIRE 919 Er Str Det Trople C	Color F.M.F. 919 Erstr. Dar Tmole C.	Color EMF 919 Er 8tr Del Imple C	Color EMF 919 Errstr DBL Trople C	Color F.M.F. 919 Erstr. Der Timple C.	Color EMF 919 FIRSTON DBL	Color EMF 919 FERSUS OBE	Color FMF 919 Fr 860 DBC	Color EMF 919 Eresto Day	2 & Color F.M.F. 919 EV 84 084 084
Color F. M. F. 919 Engles Det Tople C. 53- 20 135	Color EMF 919 Enster Der imple a	Solow EMF 919 Fresh 000 Trople 0	Solow EMF 919 Fresh DBL Trople C	Color EMF 919 Erester Dec Trople a 50 20 135	Color EMF 919 E11860 DBL TOPOLO CO	Solow EMF 919 Fresh DOBY THORIS CO	Color EMF 919 E11812 DBL THOUSE CO.	Cala EMF 919 Erester Dos. Tropic C	Color EMF 919 Erester DBL Trople C	Color F. M. F. 919 Engles Det Tople C. 53- 20 135	Color EMF 919 Errston 066.	Color FMF 919 FIRSTO OBE 50- 20	Color EME 919 Eresto 061	Color F.M.F. 919 511860 084	53- 20 1
Color F. M. F. 919 Fr. 84 DBL TWOLD CO. 135	Color F. M.F. 919 Engles Del. Throle C.	Color EMF 919 ENSUS DBL THOUGH CO	Color EMF 919 Enste Der From Co	Color F.M.F. 919 Fr860 DBL TOPOLO CO.	Color F. M.F. 919 Er 86 Det. Timple C.	Color EMF 919 Enster Der From Co	Color F. M.F. 919 Er 86 Det. Timple C.	Could' F.M.F. 919 Er 812 081 Tomple C	Color EMF 919 EVSID DBL TOPOLO CO	Color F. M. F. 919 Fr. 84 DBL TWOLD CO. 135	Color FMF 919 Fr 840 000	Color FMF 919 Fr84 08.	Color FMF 919 511840 064 50	Color FMF 919 - Evision Dec	CKCOLOT FMF 919 FIRSTS OBL
Color EMF 919 Fresh Day Trople C	Color EMF 919 - Evistor DBL Tomple C	Color EMF 919 Ersts 086 Trople C	Color EMF 919 Er Str. DBL Throle C	Color F. M.F. 919 Er Str. Del. Trople &	Color EMF 919 Frsts Day Tropic a	Color EMF 919 Frish 086 imple 0	Color EMF 919 Fresh Day Imple a	Color EMF 919 Erstr DBL Trople G	Color FMF 919 Er Str Obl. Timple &	Color EMF 919 Fresh Day Trople C	Color FMF 919 F184	5000 EMF 919 ENBL	53 5000 FMF 919 F1800	Color EMF 919 Fr84	L CC GOOD FINE GIG FINED
Color EMF 919 EVStr DB. Throle C.	Color EMF 919 Frsts 086 From a	Color EMF 919 Evilla Del more C	Color F. M.F. 919 Eville Det. Throle C.	Color F. M.F. 919 Er. 84. Dec. 1700 60	Color EMF 919 EVSUS DBL THOUS CO	Color EMF 919 Eristor Dec Topole C	Color EMF 919 Er Str. DBL Trople C	Color EMF 919 EVStr DOLL THOUGH CO	Color EMF 919 Er 8tr De. Tropo	Color EMF 919 EVStr DB. Throle C.	Color EMF 919 FEB 812	Color FMF 919 From	Color EMF 919 FEB 812	Color EMF 919 From	COOL EMF 919 FEB ST
Color EMF 919 Fresh Det more 6	Color ENF 919 Ensus Det Tropis C	Color EMF 919 Er 84 Del Tople 20	Color EMF 919 Ev 8tr Del Tropo	Color FIRE 919 Er 8tr Det Trople C	Color EMF 919 Evision Del more C	Color EMF 919 Ev 800 Dec Topolo	Color EMF 919 Evision Del more C	Color EMF 919 Erstr Der Timple 2	Color ENF 919 Er 8tr Dat Tropic C	Color EMF 919 Fresh Det more 6	Color EMF 919 53	Color FMF 919 1480	Color EMF 919 F1884	Color EMF 919 FINE	6000 EMF 919 FEB 53
Color EMF 919 Erstr Dat Tople C	Color EMF 919 Ensus Del Imple a	Color F. M.F. 919 Er. Str. Det. Trople C.	Color FMF 919 Er 8tr 08t Trople C	Color ENF 919 Erstr Da Trope C	Color F.M.F. 919 Eristo Dec Topole C	Color F. M.F. 919 Er 8tr Det Trople C	Color EMF 919 Fresh Det more 6	Color EMF 919 Eville 081 Topolo	Color EMF 919 Ensus Der Imple a	Color EMF 919 Erstr Dat Tople C	Color EMF 919 F1884	Coint FMF 919 F1880	Color EMF 919 Fresh	Color EMF 919 the	60000 EMF 919 1818
Color EMF 919 Er. 8tr. 08t. Topic C	Color EMF 919 Ensus Dos. Tropic Co	Color EMF 919 Erstr Da Trope &	Color ENF 919 Erists De Trope a	Color EMF 919 Ensus Dou 135	Color EMF 919 Er. 84- 08. Topic C	Color ENF 919 Ensus Det Imple Co	Color EMF 919 Erstr Der Trops &	Color FMF 919 Er 8tr Det Trople &	Color EMF 919 Ensus Don 135	Color EMF 919 Er. 8tr. 08t. Topic C	Color EMF 919 FT884	Color FMF 919 FEB 823	Color EMF 919 Fr84	COLOR FINE 919 FINED	ORCOID FIRE 919 FIRE
Color EMF 919 Erstr Der Timple C	Color EMF 919 Enster Der France Co	Color EMF 919 Enster Dos Tropic C	Solow EMF 919 Fresh 20 135	Color EMF 919 Erists Des imple a	Color EMF 919 Ensire Dell Tropie Co	Color EMF 919 Er. Str. DBL Tropie C	Color EMF 919 Ensire Dell Tropie Co	Color EMF 919 Erists Der Impie a 53- 20 135	Color EMF 919 Ensir DBL imple a	Color EMF 919 Erstr Der Timple C	Color EMF 919 Fre	Coin EMF 919 FIRST	Solor EMF 919 Fresh	COLOR F.M.F. 919 - 53	53 5 PMF 919 FINST
Count FIRE 919 Fr Str DBL Timple CO	Color F.M.F. 919 Fr84 DBL Throw CO	Color EMF 919 Enster Del imple a	Color EMF 919 Enster Del more control	Color EMF 919 Firsts Del more G	Color FIRE 919 From Der Timple 2	Color EMF 919 Enster Del imple a	Color EMF 919 to 8th 08th Timple 0	Color EMF 919 Erists De France Color	Color EMF 919 Frish OBL Though CO	Count FIRE 919 Fr Str DBL Timple CO	Color FMF 919 From	Color EMF 919 Fresh	COO FMF 919 FEBS	COIN FIRE 919 FIRE	SCOLO EMF 919 ENSIN
Color EMF 919 Frstr Dat Imple C	Color FMF 919 train our Times only	Color EMF 919 Eustro Del Tropo Co	Color EMF 919 Firsts OBL Trops Color	Color FIRF 919 Fr86 DBL Throw CO	Count EMF 919 Frstr Det Imple &	Color EMF 919 Erists Del more G	Count EMF 919 Frstr Det Imple Q	Color EMF 919 Frsts Day Imple a	Color FIRF 919 Fr86 DEL TIMOR CO	Color EMF 919 Frstr Dat Imple C	Color FIMF 919 FINSING	Color EMF 919 Fr8th	Color FMF 919 Frish	Color FMF 919 Fr84	Solor FIRE 919 FIRE
Color F.M.F. 919 Frish OBL Imple C	Count FIRE 919 For Str. Del. Timbe &	Color FIRF 919 Frish Dar Trops Color	Color FMF 919 train our Trong Co	Count EMF 919 to 20 135	Color EMF 919 Firsts OBL Imple CO	Color F.M.F. 919 train our Times out	Color EMF 919 Firsts De Trops a	Color Firsts OBL Tople Color	Count EMF 919 to 20 135	Color F.M.F. 919 Frish OBL Imple C	Com EMF 919 FIRST	Color FME 919 Fresh	COM FINE 919 FEBRE	Color EMF 919 FIRST	CC CC GION HOLDER
Color Figh Frish Ob. There is	Color FIRE 919 From 100 135	Color Firsts Des imple a 50-20 135	Color F.M.F. 919 to 20 135	Coint EMF 919 Fr84 081 Time a	Color Firsts Ob. Imple a 50- 20 135	Color F.M.F. 919 to 20 135	Color F. Alg Frish Da Imple a 53-20 135	Colon France Leaves only 50 00 135	Coint EMF 919 Fr84 DBL TIME C	Color Figh Frish Ob. There is	Com EMF 919 Fresh	Color FME 919 Fre	Color FMF 919 Free	Color FIRE 919 FIRE	CC CC ASON ASOLOGY COLON
Color EMF 919 Frish 084 imple a	Color F. Alg Frish Day Trops a	Color EMF 919 Firsts Day Trops Color	Color F.M.F. 919 Frish Del more souly	Color FMF 919 Frstr Da 135	Count EMF 919 Frish OBL Imple C	Color EMF 919 Frish Der Trops Color	County Firsts Obs. Topie a	Color EMF 919 Frish Der From Co	Color FMF 919 Frstr Da 135	Color EMF 919 Frish 084 imple a	Color FIRE 919 FIRED	Color FIRE 919 FIRE	Color FIRE 919 FIRE	Color FIRE 919 FIRE	CCC ABON ABORDA
Color EMF 919 Frish Der Timple Co	Count EMF 919 Frish 084 Timple 0	Color F.M.F. 919 Frish Der Timple C	Color F.M.F. 919 Frish Der Timple Co	Color FIRE 919 FIRST DR. THOSE SOUTH	Color EMF 919 Frish OB 135	Color FIRE 919 Erstr Der Timple Co	Color EMF 919 Frish DB THENDES ONLY STORES ONLY	Color F.M.F. 919 Firsts Obt. Throw C.	Count FIRE 919 FIRST DOLL TIME CONTRACTOR	Color EMF 919 Frish Der Timple Co	Coin FIRE 919 FIRE	Color FIRE 919 FIRE	Coin FIRE 919 FIRE	Com First 919 Fresh	Coop Adapt
Color EMF 919 Frish Der From G	Color EMF 919 Frish Day 135	Color FIRE 919 Erstr Der Timple 20 135	Color FIRE 919 Fresh Del Tomos Color FIRE 919 Fresh Del Tomos Color	Color FIRE 919 Erstr Del Imple 2	Color EMF 919 Firsts Day Trops Color	Color FIRE 919 Fresh Der Timpe a 50-20 135	Color EMF 919 Frish Der Tombe Co	Color FIRF 919 Frish Der Timple 2	Color EMF 919 Erstr Del Imple C	Color EMF 919 Frish Der From G	Color EMF 919 From	Color FMF 919 From	Color FIRE 919 FIRE	Color Fine 919 Free	Mon Adapt
Color FIRE 919 FIRE DEL TONO ES	Colon From herbesonly  Solon EMF 919 Fresh 000 135	Color First De Timbe C	Color Firsts Del Imple Color	Color Fight Fresh Don Times a 53-20 135	Color F.M.F. 919 Erstr Del Tombes Could	Color First Der Times a 53-20 135	Color First Color First Color First Color First Grant Throng Color First Color Throng Color First Color Throng Color First Col	Color FINF 919 FINST DOLL TIME CO	Color Actor Leaves and Solor EMF 919 Erists Dos Imple Co	Color FIRE 919 FIRE DEL TONO ES	Color F.M.F. 919 Fr.84	Coin FMF 919 Fresh	Color FME 919 From	Color FINF 919 FINE	COUNTEME 919 FINST
Color FIRE 919 FIRST DOL THOSE CONTU	Color EMF 919 Ensus Des imple a	Color Frank herbes only  Solor EMF 919 Fresh Don 135	Color Adapt herbesonly  Solor EMF 919 Frish 00 135	Color Figure Leaves only 500 500 135 1000 135	Color FIRE 919 FIRST DOL TONO COLOR	Color Adapt herbesonly	Color First Leaves only Son First Str. 1860 135	Color First Der Timer a  50-20 135	Color From Adapt herbes only  Solor EMF 919 Ensus 086 imple 0	Color FIRE 919 FIRST DOL THOSE CONTU	N of the state of	Neg	Neg	Ne	Negoz
Color EMF 919 From DB. Time a	Color F.MF 919 Firsts Day 135	Color From Prompt Leaves only 500 ENF 919 Erists 000 135	Color Figure Leaves only 500 ENES 084 imple a 135	Color EMF 919 Ensus Des imple a	Color FIRE 919 Fr86 DBL TIME &	Color Figures Color Ensire Color EMF 919 Eriste Color 135	Color EMF 919 trish our Timos &	Color France Leaves only  Color EMF 919 Erists Dec Impre a  50-20 135	COLOR Adaps herbes only Color EMF 919 Frish 000 135	Color EMF 919 From DB. Time a	Nago	Neg	Neg	Ne	Nega
Count FIRE 919 From OBL TIME CO	Color F.MF 919 Firsts OBL TOPES ONLY	Color EMF 919 Frish DBL imple a 50-20 135	Color EMF 919 Ensus Des imple a	Color EMF 919 Firsts OBL TOPES ONLY	Wow Adapt henses only Color EMF 919 From 100 135	Color EMF 919 Ensus Des imple a	Wow Adapt henses only Color EMF 919 From 100 135	Color Frank Lenbes and Solar Ent Frank Color Ent Fall Solar Tropic Color Frank	Color F.MF 919 Firsts Day 135	Count FIRE 919 From OBL TIME CO	Neg	Neg	Ne	Ne	Neg
Color EMF 919 Frish DBL Imple Co	Color FIRF 919 Fr84 DR Tombe CO	Color F.M.F. 919 Firsts Del Trops Color	Color F.M.F. 919 Firsts Del Tropo Co	Color FIRF 919 Firsts OBL THOSE CONTU	Color EMF 919 Fr8th OBL Imple CO	Color F.M.F. 919 Firsts Day 135	Color FIRE 919 Fr86 OBL Imple CO	Color EMF 919 Frish Day Tople Co	Color FIRF 919 Firsts OBL THOSE CONTU	Color EMF 919 Frish DBL Imple Co	Ne	Neg	Ne	Neg	Neg
Color Fight Fresh Color Topic Co	Color FIRE 919 FISTS OF TIME &	Color FIRF 919 Firsts Ob. Those Sould Son 135	Color FIRF 919 Fr84 DBL Tombe &	Color FIRE 919 Fr84 DBL TIME &	Color First on Imperior	Color F.M.F. 919 Fr86 OBL TOPE COLOR	Color First Der Ferbes Guly ST	Color First Leaves and Solor EMF 919 Eusts De 135	Color FIRE 919 Fr84 DBL TIME &	Color Fight Fresh Color Topic Co	Neg	Neg		Ne	Neg
Color Firsts Des imple a 135	Color EMF 919 Firsts De Imple Co	Color First Actor herbes only Solor FIRE 919 Firsts Day 135	Color First Adapt Learnes and Solor FIRE 919 Firsts Day 135	Color FMF 919 Frstr Da 135	Could EMF 919 Frish OBL Trople C	Color First Adapt Learnes and Color First 919 First 081 Those 6	Could EMF 919 Frish 08 Imple 0	Color File 919 Firsts Day Trops Color	Color FIRE 919 From Del Imple &	Color Firsts Des imple a 135	Ne	Solo Name	Color	Ne	Netrons S College
Color EMF 919 Firsts Day Trops Color	Color EMF 919 Frsts 086 Imple Co	Color F. M.F. 919 Erstr Date Timple & 135 S.D. 135	Color FIRE 919 For St. 1860 Color FIRE 919 For St. 1860 Color FIRE 919 For St. 1860 Color FIRE COLOR 1850 Color FIRE COLOR 1850 Color FIRE COLOR 1850 Color FIRE COLOR 1850 Color FIRE COLO	Count FIRE 919 For Str. Del Imple Co	Color EMF 919 Frish Day Trops Color	Color FIRE 919 For Str. Del Timple Co	Color EMF 919 Frish Day 135	Color F. M.F. 919 Fresh Der Timple Co	Color FIRE 919 Fresh Del Tropie C	Color EMF 919 Firsts Day Trops Color	Neg Neg		No No	N Delo	Neodo
Color F. M.F. 919 Firsts Obt. Those & Color F. M.F. 919 Firsts Obt. Those & 135	Color EMF 919 Frish Det imple a	Color FIRE 919 Fresh Del Tropo Color Fire Fire Fresh Del Tropo Color Fire Fre	Color FIRE 919 FOR DOLL TIME COLOR STATES ON 135	Color First De Time a  53-20 135	Color F.M.F. 919 Firsts Dec Trong Color	Color FIRE 919 FOR DOLL TIME CO	Color EMF 919 Firsts Der Front Color	Color First on Time 6	Color FACTOR Leaves and Solor FACTOR FACTOR SOLD STORES ON 135	Color F. M.F. 919 Firsts Obt. Those & Color F. M.F. 919 Firsts Obt. Those & 135	Step Ostor	N Dug	No No	No Color	Nacolor R
Color F. M.F. 919 Fersion Dec Timple & 135	Color Fight Fresh Dog Troph Color EMF 919 Fresh Dog Troph Color Employer	Color FIRE 919 For Str. 100 135	Color F. A. G. Der Lenses and Color EMF 919 Fresh Der 1700 Fresh Der 17	Color Fig Fresh Don 135	Color F.M.F. 919 Fresh Det Timple &	Color F. A. G. Per Leaves and Color F. A. G. 20 135	Color F. M.F. 919 Fresh Dec Trops Color	Color FIRE 919 For St. 100 135	Color Actopr Leaber out Solor EMF 919 Erests DOL 135	Color F. M.F. 919 Fersion Dec Timple & 135	Solo Victoria		Sollor Name	Color	Nations of Recoins
Color FIRE 919 Fresh Der Timple E	Color EMF 919 Erusin Der Fernsch imple	Color EMF 919 Firsts Det Times a  53-20 135	Color Fig. Fresh Doe Trope a 35 20 135	Color Fig. Fr. Str. Dos. Tropic & 135	Color FIRE 919 Fresh Del Tombe & 135	Color Fig. Fresh Doe Trope a 35 20 135	Color Fire 919 First Det Times & 135	Color F. A. G. Pr. Leaders Cally Color F. A. G. S. J.	Color EMF 919 Erests Det Times a  50-20 135	Color FIRE 919 Fresh Der Timple E	Neg Neg	E NE	N E S		Nettons R & Color
Conn FMF 919 From Det Timple & 135	Color FMF 919 Frish Der Timple Color Are Often Overhood	Color France Color Are Often Overhood  Color EMF 919 Fresh Doe Tropic Co	Color EMF 919 Fresh Des Imple a  50-20 135	Color EMF 919 Frish Del imple a solution of 135	Color FMF 919 Frage Der Timple & 135	Color EMF 919 Fresh Des imple a 135	Color FMF 919 France Color Are Often Overhood	Color France Color Are Often Overlood	Color EMF 919 Frish Der France Color Are Often Overhood	Conn FMF 919 From Det Timple & 135	Ne	Ne	Neg	Neg	Neology
Count FIRE 919 From Solver Der Timple Co	Color FMF 919 Frages OBL Though PAGES OBLINE FMF 919 FMF 91	Colon EMF 919 Fresh Des Imple a 135 20 135	Color EMF 919 Fresh Det imple a solution of 135	Color EMF 919 Frish Der Timple Color Are Often Overhood	Color EMF 919 Frage Der Timple & 135	Color EMF 919 Fresh Det imple a 135	Color EMF 919 Frage Der Timple & 135	Color EMF 919 Firsts Det Timple a  53-20 135	Color EMF 919 Firsts Der Firms Color EMF 919 Firsts Der Firsts Firsts De	Count FIRE 919 From Solver Der Timple Co	Ne	Neg Neg	Neg Neg	Neg	Necoral
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Doe Trope a	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Neces
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Doe Trope a	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Neces
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Doe Trope a	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Neces
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Neces
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Neces
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Neces
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Necoral
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Necoral
Color EMF 919 From 600 Are Often Overhood	Color EMF 919 Frage Der Timple & Son 135	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Necoral
Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frash Des imple a 50-20 135	Color EMF 919 Frash Dea imple a ST 20 135	Color EMF 919 Frash Der Timole	Count FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Frash Dea imple a 50-20 135	Contr FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Des Timble Color Ale Otten Overhood	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though CO	Color EMF 919 Frame Color Are Often Overhood	No No	Neg Neg	Ne	Neg Neg	Negotia
Color EMF 919 From 600 Are Often Overhood	Color FMF 919 Frans Color Are Often Overhood	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Necoral
Color EMF 919 From 600 Are Often Overhood	Color FMF 919 Frans Color Are Often Overhood	Color EMF 919 Fresh Det Timble a 135	Color EMF 919 Fresh Det imple a 50-20 135	Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though Color EMF 919 Firsts OBL Though COLOR STATES OBL THOUGH COLOR STATES OBL THOUGH COLOR STATES OBLINE COLOR STATES OF THE STAT	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det imple a 50-20 135	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a  53-20 135	Color EMF 919 Firsts Der Times Color EMF 919 Firsts Der Times Color	Color EMF 919 From 600 Are Often Overhood	Neg	Neg Neg	Ne	Neg Neg	Necoral
Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frash Des imple a 50-20 135	Color EMF 919 Frash Dea Timple	Color EMF 919 Frash Der Timole	Count FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Frash Dea imple a 50-20 135	Contr FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Des Timble Color Ale Otten Overhood	Color EMF 919 Frans Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	No No	Neg Neg	Ne	Neg Neg	Negotia
Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frash Des imple a 50-20 135	Color EMF 919 Frash Dea Timple	Color EMF 919 Frash Der Timole	Count FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Frash Dea imple a 50-20 135	Contr FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Des Timble Color Ale Otten Overhood	Color EMF 919 Frans Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	No No	Neg Neg	Ne	Neg Neg	Negotia
Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frash Des imple a 50-20 135	Color EMF 919 Frash Dea Timple	Color EMF 919 Frash Der Timole	Count FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Frash Dea imple a 50-20 135	Contr FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Des Timble Color Ale Otten Overhood	Color EMF 919 Frans Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	No No	Neg Neg	Ne	Neg Neg	Negotia
Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frash Des imple a 50-20 135	Color EMF 919 Frash Dea Timple	Color EMF 919 Frash Der Timole	Count FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Frash Dea imple a 50-20 135	Contr FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Des Timble Color Ale Otten Overhood	Color EMF 919 Frans Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	No No	Neg Neg	Ne	Neg Neg	Negotia
Color EMF 919 Frank Color Are Often Overhood	Color File 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color ENE 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Times Color EMF 919 Fresh Part 919 Fresh P	Color F. M. F. 919 France Color Are Often Overhood	Color EMF 919 Frank Color Are Often Overhood	a Na	Neg Neg	Ne	No N	Negotia
Color EMF 919 France Color Are Often Overhood	Color EARF 919 Frame Color Are Often Overhood Solor EARF 919 Frame Det Time & ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Day Trops Color Are Often Overhood	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 France Color Are Often Overhood	No Ne	Ne Ne	Ne	Neg	Negotia Property
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color File 919 Frame Color File 919 Frame Color File 919 Fil	Color F. M.F. 919 Frame Color Are Often Overhood	Color F. M. F. 919 Frage ber Twole Color Are Often Overhood Color F. M. F. 919 Frage ber Twole Color F. 919 Frage ber Twole F. 919 Frage ber Twole F. 919 Frage ber Twole Frage ber Twole Frage Brown Frage Brown Frage Brown Frage Brown Frage Brown Frage	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color EMF 919 F	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 France Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Dec Throne Color Are Super Dec Throne Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Chen Chen Overhood Color Are Chen Chen Chen Chen Chen Chen Chen Che	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Neg Neg	Ne	Ne	Ne	Negota Name
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color File 919 Frame Color File 919 Frame Color File 919 Fil	Color F. M.F. 919 Frame Color Are Often Overhood	Color F. M. F. 919 Frage ber Twole Color Are Often Overhood Color F. M. F. 919 Frage ber Twole Color F. 919 Frage ber Twole F. 919 Frage ber Twole F. 919 Frage ber Twole Frage ber Twole Frage Brown Frage Brown Frage Brown Frage Brown Frage Brown Frage	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color EMF 919 F	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 France Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Dec Throne Color Are Super Dec Throne Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Chen Chen Overhood Color Are Chen Chen Chen Chen Chen Chen Chen Che	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Neg Neg	Ne	Ne	Ne	Negota Name
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color File 919 Frame Color File 919 Frame Color File 919 Fil	Color F. M.F. 919 Frame Color Are Often Overhood	Color F. M. F. 919 Frage ber Twole Color Are Often Overhood Color F. M. F. 919 Frage ber Twole Color F. 919 Frage ber Twole F. 919 Frage ber Twole F. 919 Frage ber Twole Frage ber Twole Frage Brown Frage Brown Frage Brown Frage Brown Frage Brown Frage	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color EMF 919 F	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 France Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Dec Throne Color Are Super Dec Throne Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Chen Chen Overhood Color Are Chen Chen Chen Chen Chen Chen Chen Che	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Neg Neg	Ne	Ne	Ne	Negota Name
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color File 919 Frame Color File 919 Frame Color File 919 Fil	Color F. M.F. 919 Frame Color Are Often Overhood	Color F. M. F. 919 Frage ber Twole Color Are Often Overhood Color F. M. F. 919 Frage ber Twole Color F. 919 Frage ber Twole F. 919 Frage ber Twole F. 919 Frage ber Twole Frage ber Twole Frage Brown Frage Brown Frage Brown Frage Brown Frage Brown Frage	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color EMF 919 F	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 France Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Dec Throne Color Are Super Dec Throne Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Chen Chen Overhood Color Are Chen Chen Chen Chen Chen Chen Chen Che	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Neg Neg	Ne	Ne	Ne	Negota Name
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color File 919 Frame Color File 919 Frame Color File 919 Fil	Color F. M.F. 919 Frame Color Are Often Overhood	Color F. M. F. 919 Frage ber Twole Color Are Often Overhood Color F. M. F. 919 Frage ber Twole Color F. 919 Frage ber Twole F. 919 Frage ber Twole F. 919 Frage ber Twole Frage ber Twole Frage Brown Frage Brown Frage Brown Frage Brown Frage Brown Frage	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color EMF 919 F	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 France Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Dec Throne Color Are Super Dec Throne Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Chen Chen Overhood Color Are Chen Chen Chen Chen Chen Chen Chen Che	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Neg Neg	Ne	Ne	Ne	Negota Name
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	Color EAR 919 Frame Color Are Often Overhood Solor EAR 919 Frame Color Are Often Overhood Solor EAR FAME OF THOSE COLOR EAR FA	Color EMF 919 Frame Color Are Otten Overhood	Color F. M.F. 919 Frame Color Are Otten Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Det Time a ST 20 135	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Fresh Dec Tropic Color Are Often Overhood Color EMF 919 Fresh Dec Tropic Color EMF 919 Fresh Page 919 Fresh P	New	Ne	NE NE	Neg	Negotians Negotians
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame C	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fram Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Day Times at 1 mais at 135	Color EMF 919 Fresh Det Timple Color Are Often Overhood Color Are Often Overhood Color Are Often Overhood Color EMF 919 Fresh Det Timple COLOR STORY S	Color EMF 919 Frame Color Are Often Overhood Color FMF 919 Frame Det Time E	Color EMF 919 Fresh Day Temple Solor Are Often Overhood Scolor Accept heaves and Solor EMF 919 Fresh Day Temple Color Are Often Overhood Color Acceptance Color Are Often Overhood Color Acceptance Colo	New	NE NE	Ne Ne	Ne	Negota Para
Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color Are Often Overhood Color File 919 Frame Color File 919 Frame Color File 919 Frame Color File 919 Fil	Color F. M.F. 919 Frame Color Are Often Overhood	Color F. M. F. 919 Frage ber Twole Color Are Often Overhood Color F. M. F. 919 Frage ber Twole Color F. 919 Frage ber Twole F. 919 Frage ber Twole F. 919 Frage ber Twole Frage ber Twole Frage Brown Frage Brown Frage Brown Frage Brown Frage Brown Frage	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color Are Often Overhood Color EMF 919 France Color Are Often Overhood Color EMF 919 France Color EMF 919 F	Color FIRE 919 Frame Color Are Often Overhood	Color EMF 919 France Color Are Often Overhood	Color EMF 919 Frame Color Are Often Overhood Color EMF 919 Frame Dec Throne Color Are Super Dec Throne Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Color Are Chen Overhood Color EMF 919 Frame Chen Chen Overhood Color Are Chen Chen Chen Chen Chen Chen Chen Che	Color EMF 919 Frame Color Are Often Overhood Color Frame Color Are Often Overhood Color Frame Color Fr	Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color Are Often Overhood Color EMF 919 Fresh Day Trans Color EMF 919 Fresh Day Transcolor EMF 919 Fresh 919 Fresh Part 919 Fresh	Neg Neg	Ne	Ne	Ne	Negota Name

04/07/2006 FRI 09:39 [TX/RX NO 7535] Exhibit 42 Page 1 of 2

ACCRECATION OF	200	D. W. 40.17	Committee of the last	Mark 1
rec	10	Ú4	03:4	Ja'

p 10

Please read the back of this card.

MEDICAL IDENTIFICATION CARD
Department of Social Thire Card Valid From: 02/01/2005
LANGUAGE: SPANISH

	PO BOX 227 TACOMA WA	7 98401-2277		يارينه و	& Health Sanises	F06 LAN	SUAGE: S		2/28/Z H	015
Şa	tient Identificati	on Code (PIC)	9		Medical C	egarevo	Information	•		
inclass	Skithiele	Last Name	TE insu	rance litter	HMC	Deto:	Restriction	Hospica	ರಿ೦ ರಚನ	Ciner
C- R-		( )	A A		CHPW					÷
			1							·

98404-4439

CNP

800-448-1561 CHPW 131 887186922 R000085022

SHOW TO MEDICAL PROVIDER AT THAT OF EACH SERVICE DSHS \$4.020 (REVISED \$4.2042).

NOT TRANSFER ARI E

Rø.			isa r	16-	ι –	<u> </u>		1			1 1		1	 6320	M			1 1		1020	a	·
rway Optical Provider Name and Addrese:	É		THE IN PHESCRIPTION INFORMATION BELOW:		PUPILLARY WIDTH	NEAR		PRISM BASE			Type Cha			ALI. ITEMS'IN THIS SECTION MUST BE FILLED OUT COMPLETELY ***	9	3-			2	FOR AIHWAY OPTICAL USE ONLY	Name of the control o	Final Insp.
		泽. 道	§ C	1	AH.	$\vdash$		4			Temple Type			Tel Marie		0		8			ŽV9	Drop Ba
Provider Name and Address:		the Market of th	O,		JI N	일~	1	BASE			H		1	8		9	a	1	3		<b>349</b>	ō
20 E	ş · .	 - 33 - 84		1		DISTANCE /	ろ	100			de Length		1	S	Der:	00		9	<b>S</b>		par:	
Z E		No.		回				PRISK			Temple			(ED	Provider Number:	0		<b>S</b>		6	Medical Record Number:	ļ
i i				15	S	١, ۵	~		4		ğ	B	1	5	7. 0.0			r 144 15	1	g	1114997	}
o .	37 E-	2 EK	SE SE	75	AXIS	oas	3				Ш	$\frac{\theta'}{}$		Ē	107	8	1	0	انت	इं	R	ä
7				K		7	0	WIDTH			Eye Size	8		SOV	۳						adice	Reference:
	950	, , , eo		हें हैं	E	1							-	V NO				QS		) M	ž X	æ
<b>3</b> –	188 18. 18001-185	Call Toll Frae: 1-888:806-7788 Or Fax At: 1-888:606-7789			CYLINDER	$\mathcal{L}_{\mathcal{L}}$	S				9	D. Ams		S		0		0			SIPO FEB 23 2005	
Alrway Optica	7.68 Ve.	Call Toll Frae: 1-888-806-7 Or Fax At: 1-888-606-7789		HI Index	ઠ	Q.	Ö	HEIGHT			5			SS		$\leq$			T	OB)	63	
	Correctional Industries 11919 W. Sprague Ave. P. O. Box 1959 Almay Helahts WA 99	-886	a a	Ξ		,	_1	포		1	1		:	E		3		29	Numbers		N	
	1 In	98: 1 -88:				,			-		<	13	to t	Silk			- A				100	
j je	Correctional In 11919 W. Sprag P. O. Box 1959 Alrway Helahts	= X	E	Polycer	SPHERE	73	0	AOD POWER				(V	Ę		rod:	=	ë ŝ	1	u <sub>0</sub>		yed T	
2	7 8 C	F To	8		S	Ö	1	9 00	1		ama;	ofar:	=		Ordered	ति	HST.		12	107.7	2	3
4	S = 7. 4	ចីទី	Bhgia Vision	2		上	Ŧ	<b>V</b>	_		Frame Name:	Frame Color:	Special Instructions:	V.	Date (		Patient Name: (LAST, FIRST, MI)				bate Received	
\$ \$			B <sub>H</sub> G	G)a.s		Œ		Ш	œ		7	F	Sp	 i de	-		23	9	S A		å	2_

0602301 246693 -

### Appellant's Appendix B State of Washington v. Bircumshaw

Court of Appeals Division II 45923-0-II

## Projected Sample Overpayments

Birčumshaw Provider No. \_\_\_\_\_ Audit # MA 08-05

r		·					
	Finding Description	Incorrect level of E/M code billed	Incorrect level of E/M code billed	Incorrect level of E/M code billed	No documentation for the procedure billed Fitting of spectacles also billed	Fitting of spectacles also billed	Incorrect level of E/M code billed
	Finding Number	7	7	7	1A, 3A	3,A	7
	Overpaid Amount	\$73.58	\$89.75	\$89.84	\$20.44	\$22.28	\$89.84
	Audited Correct Amount	\$30.20	\$23.75	\$24.08	\$0.00	\$0.00	\$24.08
	Amount Paid	\$103.78	\$113.50	\$113.92	\$20.44	\$22.28	\$113.92
	Paid Date	04/03/06	07/26/04	01/23/06	04/24/06	03/29/04	12/05/05
	Procedure Description	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 99205 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	REPAIR & REFITTING OF 92370 SPECTACLES EXCEPT FOR APHAKIA   04/24/06 - INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY
	PROC	99244	99205	99205	92370	92370	99205
	Service Date	02/24/06	04/23/04	01/13/06	04/06/06	03/11/04	11/17/05
	Strata	20	20	20	7	4	20
	Record		2	M	<b>4</b>	5	9 .

Page 1 of 40

In re Bircumshaw DSHS-0000000070

EXHIBIT 27

# Projected Sample Overpayments

Bircumshaw Provider No. Audit # MA 08-05

Record Number	Strata	Service Date	PROC	Procedure Description	Paid Date	Amount Paid	Audited Correct	Overpaid	Finding Number	Finding Description
7	∞	08/08/05	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	08/22/05	\$27.93	\$0.00	\$27.93	138	No chart note
89	14	06/15/04	92310	FITTING/DISPENSING OF CONTACT LENS	06/28/04	\$52.78	\$0.00	\$52.78	118	No chart note
10	20	06/06/05	99205	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF	07/11/05	\$115.25	\$43.25	\$72.00	2	Incorrect level of E/M code billed
12	17	50/90/90	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	06/20/05	\$77.08	\$38.77	\$38.31	. 7	Incorrect level of E/M code billed
41	20	02/08/06	99244	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY.	02/20/06	\$103.78	\$30.20	\$73.58	~1	Incorrect level of E/M code billed
15	16	06/16/04	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	07/05/04	\$76.21	\$41.86	\$34,35	۲,	Incorrect level of E/M code billed
. 15	m	02/08/05	92370	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 02/21/05 - INCLUDES DISPENSING	02/21/05	\$21.96	\$0.00	\$21.96	1A, 3A	No documentation for the procedure billed Fitting of spectacles also billed

(

Page 2 of 40

In re Bircumshaw DSHS-0000000071

EXHIBIT 27 CAGE 17 OF 81

## Projected Sample Overpayments

Fitting of spectacles also billed incorrect level of E/M code Required interval between Required interval between No documentation for the Description Finding procedure billed fitting not met fitting not met No chart note No chart note billed Finding Number 4C 34 14 18 1B 4C ч \$73.58 \$24.80 \$24.80 \$22.28 \$24.80 \$24.75 \$24.80 Overpaid Amount \$0.00 \$30.20 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 Audited Correct Amount \$24.80 \$103.78 \$24.75 \$24.30 \$24.80 \$22.28 \$24.80 Amount Paid 07/11/05 REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 04/05/04 05/05/05 09/15/03 05/23/06 09/11/05 09/15/03 Paid Date MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING PRESENTING PROBLEMS ARE OF OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, MODERATE TO HIGH SEVERITY Procedure Description 60 MINUTES FACE-TO-FACE, MONOFOCAL EXCEPT FOR MONOFOCAL EXCEPT FOR FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR MONOFOCAL EXCEPT FOR FITTING OF SPECTACLES, FITTING OF SPECTACLES, FITTING OF SPECTACLES, - INCLUDES DISPENSING FITTING OF SPECTACLES, 92340 92370 92340 92340 92340 92340 PROC Code 99244 06/29/05 90/80/50 09/02/05 08/21/03 03/22/04 04/21/05 08/18/03 Service Date Strata 20 4 4 œ φ 9  $\infty$ Record Number 13 20 24 25 17 21 23

Page 3 of 40

In re Bircumshaw DSHS-0000000072

EXHIBIT 27
PAGE 18 OF 81

Bircumshaw Provider No. Audit # MA 08-05

# Projected Sample Overpayments

Bircumshaw Provider No Audit # MA 08-05

<del></del> ,	· · · · · · · · · · · · · · · · · · ·					1		
Finding Description	No documentation for the procedure billed	No chart note	No documentation for the procedure billed	No chart note	No documentation for the procedure billed	Fitting of spectacles also billed	No chart note	No chart note
Finding Number	1A	18	14	18	1A	3A	18	1B
Overpaid Amount	\$24:80	\$24.80	\$22.28	\$82.67	\$24.80	\$20.44	\$27.98	\$24.80
Audited Correct Amount	\$0.00	80.00	\$0.00	00:0\$	\$0.00	\$0.00	\$0.00	\$0.00
Amount Paid	\$24.80	\$24.80	\$22.28	\$82.67	\$24.80	\$20.44	\$27.98	\$24.80
Paid Date	01/12/04	05/23/05	11/10/03	06/14/04	11/08/04	90/90/ε0	05/23/05	05/02/05
Procedure Description	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTÄCLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	EXTRACAPSULAR CATARACT REMOVAL	FITTING OF SPĘCTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 03/06/06 INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING
PROC	92340	92340	92370	66984	92340	92370	92341	92340
Service Date	12/22/03	05/13/05	10/23/03	04/27/04	10/27/04	02/23/06	05/13/05	04/18/05
Strata	9	∞	т	19	7	2	10	œ
Record	56	27	28	30	31	32	34	36

Page 4 of 40

In re Bircumshaw DSHS-0000000073

EXHIBIT 27
MAGE 19 OF 81

## Projected Sample Overpayments

	· · · · ·	T					
Finding Description	No chart note	No chart note	No chart note	No chart note Required interval between \$24.80 18, 4C, 3B fitting not met Repair and refitting billed on same date	Incorrect level of E/M code billed	No documentation for the procedure billed	No chart note
Finding Number	18	18	18	18, 4C, 3B		727	18
Overpaid Amount	\$24.80	\$27.93	\$24.75	\$24.80	\$38.31	\$113.50	\$24.80
Audited Correct Amount	\$0.00	\$0.00	\$0.00	\$0.00	\$38.77	\$0.00	\$0.00
Amount Paid	\$24.80	\$27.93	\$24.75	\$24.80	\$77.08	\$113.50	\$24.80
Paid Date	07/04/05	10/10/05	08/01/05	. 06/13/05	50/50/60	01/12/04	05/16/05
Procedure Description	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING
PROC	92340	92341	92340	92340	92004	99205	92340
Service Date	06/20/05	09/21/05	07/20/05	05/20/05	05/19/05	11/19/03	04/06/05
Strata	8	8	4 -	∞	17	20	∞
Record	37	38	39	. 40	41	42	43

Page 5 of 40

EXHIBIT 27 IMBE200F 81

In re Bircumshaw DSHS-0000000074


Bircumsh.... Provider No. Audit # MA 08-05

# Projected Sample Overpayments

	T .	1					· · · · · · · · · · · · · · · · · · ·
Finding Description	Incorrect level of E/M code billed	Incorrect level of E/M code billed	No chart note	No chart note Required interval between fitting not met	Incorrect level of E/M code billed	No chart note	Repair and refitting billed on same date
Finding	74	7	1B	1B, 4C	. 2	18	. 38
Overpaid Amount	\$89.84	\$,69.03	\$24.12	\$27.98	\$17.50	\$27.93	\$24.80
Audited Correct Amount	\$24.08	\$34.75	\$0.00	\$0.00	\$24.75	\$0.00	\$0.00
Amount Paid	\$113.92	\$103.78	\$24.12	\$27.98	\$42.25	\$27.93	\$24.80
Paid Date	03/13/06	05/22/06	07/14/03	50/60/50	08/18/03	08/08/02	08/23/04
Procedure Description	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 20 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF LOW TO MODERATE SEVERITY	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING
PROC	99205	99244	92340	92341	99202	92341	92340
Service Date	02/10/06	04/28/06	06/23/03	04/26/05	07/21/03	07/25/05	08/11/04
Strata	20	20	4	10	11	∞.	7
Record Number	. 44	45	46	48	49	50	51

Page 6 of 40

In re Bircumshaw DSHS-0000000075



# Projected Sample Overpayments

1										
Record	Strata	Service Date	PROC	Procedure Description	Paid Date	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding Number	Finding Description
52	4	07/20/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	08/01/02	\$24.75	\$0.00	\$24.75	18	No chart note
53	2	01/06/06	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	01/23/06	\$24.75	\$0.00	\$24.75	18	No chart note
54	7	01/31/06	92370	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	02/13/06	\$20.44	\$0.00	\$20.44	3A, 1B	Fitting of spectacles also billed No chart note
55	7	10/04/04	92340	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	10/18/04	\$24.80	\$0.00	\$24.80	18	No chart note
56	&	04/19/05	92340	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	05/02/05	\$24.80	\$0.00	\$24.80	1B, 4C	No chart note Required interval between fitting not met
57	т	09/23/03	92370	REPAIR & REFITTING OF 92370 SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	10/20/03	\$22.28	\$0.00	\$22.28	3A, 1B	Fitting of spectacles also billed No chart note
58	19	10/04/04	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	10/18/04	\$77.08	\$0.00	. \$77.08	1.C.	No required history

Page 7 of 40

In re Bircumshaw DSHS-0000000076

EXHIBIT 27
PAGE 220581

Bircumshaw Provider No Audit # MA 08-05

# Projected Sample Overpayments

1	1					
No chart note	No documentation for the procedure billed	Incorrect level of E/M code billed	No chart note	No documentation for the procedure billed	Incorrect level of E/M code billed	Incorrect level of E/M code billed
18	1A	7	. 18	1A	2	
\$27.93	\$43.15	\$91.00	\$24.80	\$22.28	\$73.58	\$91.00
\$0.00	\$0.00	\$24.25	\$0.00	\$0.00	.\$30.20	\$24.25
\$27.93	\$43.15	\$115.25	\$24.80	\$22.28	\$103.78	\$115.25
12/26/05	09/26/05	06/27/05	07/11/05	01/12/04	03/27/06	12/27/04
FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	DETERMINATION OF REFRACTIVE STATE	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	REPAIR & REFITTING OF. SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY
92341	92015	. 69205	92340	92370	99244	99205
12/12/05	09/14/05	90/08/02	06/29/05	12/10/03	03/13/06	11/19/04
∞	12	20	×	4	20	20
09	61	62	63	64	65	67
	FITTING OF SPECTACLES, BIFOCAL	8         12/12/05         92341         EXCEPT APHAKIA - INCLUDES         12/26/05         \$27.93         \$0.00         \$27.93         1B           12         09/14/05         92015         PETERMINATION OF REFRACTIVE         09/26/05         \$43.15         \$0.00         \$43.15         1A	8         12/12/05         92341         EXCEPT APHAKIA - INCLUDES         12/26/05         \$27.93         \$0.00         \$27.93         18           12         09/14/05         92015         PETERMINATION OF REFRACTIVE OFFICE & OTHER OP VISIT-EVAL FOR COMMENT NEW PATIENT, 60         09/26/05         \$43.15         \$0.00         \$43.15         1A           20         06/08/05         99205         MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY         06/27/05         \$115.25         \$24.25         \$91.00         2	8   12/12/05   92341   EXCEPT APHAKIA - INCLUDES   12/26/05   \$27.93   \$0.00   \$27.93   18   18   12/12/05   92015   DETERMINATION OF REFRACTIVE   09/26/05   \$43.15   \$0.00   \$43.15   14   14   15   15   15   15   15	R   12/12/05   92341   EXCEPT APHAKIA - INCLUDES   12/26/05   \$27.93   \$0.00   \$27.93   1B     12   09/14/05   92015   STATE   OFFICE & OTHER OP VISIT-   EVAL/MGMT NEW PATIENT, 60   PRESENTING PROBLEMS OF   PRESENTING OF SPECTACLES,   PRESENTING OF SPECTACLES   PRESENTING OF SPECTACLES,   PRESENTING OF SPECTACLES EXCEPT FOR APHAKIA   D1/12/04   \$22.28   S0.00   \$524.80   Barrian   Prictacles Except For Aphakia   D1/12/04   \$22.28   S0.00   \$522.28   D1 Prictacles Dispensing   Prictacles Except For Aphakia   D1/12/04   \$22.28   D1/12/04   PRESENTING OF SPECTACLES EXCEPT FOR APHAKIA   D1/12/04   \$22.28   D1/12/04   PRESENTING OF SPECTACLES EXCEPT FOR APHAKIA   D1/12/04   \$22.28   D1/12/04   PRESENTING OF SPECTACLES EXCEPT FOR APHAKIA   D1/12/04   \$22.28   D1/12/04   PRESENTING OF SPECTACLES EXCEPT FOR APHAKIA   D1/12/04   \$22.28   D1/12/04   PRESENTING OF SPECTACLES EXCEPT FOR APHAKIA   D1/12/04   \$22.28   D1/12/04   PRESENTING OF SPECTACLES EXCEPT FOR APHAKIA   D1/12/04   PRESENTING OF SPECTACLES EXCEPT FOR APH	R   12/12/05   92341   EXCEPT APHAKIA- INCLUDES   12/26/05   \$27.93   \$0.00   \$27.93   18

Page 8 of 40

In re Bircumshaw DSHS-0000000077

# Projected Sample Overpayments

							<del></del>	
Finding Description	No chart note	No chart note	No chart note Required interval between fitting not met	No chart note Required interval between fitting not met	Incorrect level of E/M code billed	No chart note Required interval between fitting not met	No chart note	No chart note Required interval between fitting not met
Finding	18	18	1B, 4C	1B, 4C	7	1B, 4C	18	18,4C
Overpaid Amount	\$27.98	\$24.80	\$27.93	\$24.80	\$28.80	\$27.93	\$24.75	\$24.80
Audited Correct Amount	\$0.00	\$0.00	\$0.00	\$0.00	\$25.56	\$0.00	\$0.00	\$0.00
Amount Paid	\$27.98	\$24.80	\$27.93	\$24.80	\$54.36	\$27.93	\$24.75	\$24.80
Paid Date	04/25/05	10/11/04	10/24/05	05/23/05	02/27/06	12/19/05	07/18/05	07/11/05
Procedure Description	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAXIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES ODSPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 2S MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	HTTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING
PROC Code	92341	92340	92341	92340	99214	92341	92340	92340
Service Date	04/12/05	09/30/04	50/08/60	05/11/05	01/23/06	12/05/05	07/06/05	90/08/90
Strata	10	7	α	ø	15	∞	4	∞
Record	58	<b>6</b> 9	71	72	73	75	76	ŢŢ

Page 9 of 40

In re Bircumshaw DSHS-0000000078

EXHIBIT 27
PAGE 24 OF 8

Bircumshaw Provider No. Audit # MA 08-05


# Projected Sample Overpayments

			·			
No documentation for the procedure billed Fitting of spectacles also billed	Fitting of spectacles also billed	No chart note	No chart note	Incorrect level of E/M code billed 	No chart note	Fitting of spectacles also billed No chart note
1A, 3A	3A	118	18	74	18	34, 18
\$22.28	\$22.28	\$24.75	\$27.93	\$84.35	\$24.80	\$21.78
\$0.00	\$0.00	\$0.00	\$0.00	\$25.25	\$0.00	\$0:00
\$22.28	\$22.28	\$24.75	\$27.93	\$109.60	\$24.80	\$21.78
12/01/03	01/26/04.	09/12/05	09/19/05	01/31/05	11/17/03	07/01/03
REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT 40 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES, EXCEPT FOR APHAKIA INCLUDES DISPENSING
92370	92370	92340	92341	99215	92340	92370
11/14/03	01/12/04	08/31/05	07/06/05	01/12/05	09/22/03	06/19/03
4	4	4	∞	20	Q	m
78	79	. 80	81	, 82	. 83	84
	4 11/14/03 92370 SPECTACLES EXCEPT FOR APHAKIA 12/01/03 \$22.28 \$0.00 \$22.28 1A, 3A INCLUDES DISPENSING	4 11/14/03 92370 SPECTACLES EXCEPT FOR APHAKIA 12/01/03 \$22.28 \$0.00 \$22.28 1A, 3A - INCLUDES DISPENSING REPAIR & REFITTING OF S22.28 \$0.00 \$22.28 3A - INCLUDES DISPENSING - IN	4         11/14/03         92370         SPECTACLES EXCEPT FOR APHAKIA         12/01/03         \$22.28         \$0.00         \$22.28         1A, 3A           - INCLUDES DISPENSING         - INCLUDES DISPENSING         01/25/04         \$22.28         \$0.00         \$22.28         3A           4         01/12/04         92370         SPECTACLES EXCEPT FOR APHAKIA         01/25/04         \$22.28         \$0.00         \$22.28         3A           - INCLUDES DISPENSING         FITTING OF SPECTACLES, APHAKIA - INCLUDES DISPENSING         09/12/05         \$24.75         \$0.00         \$24.75         1B	4         11/14/03         92370         SPECTACLES EXCEPT FOR APHAKIA         12/01/03         \$22.28         \$0.00         \$22.28         1A, 3A           4         01/12/04         92370         SPECTACLES EXCEPT FOR APHAKIA         01/26/04         \$22.28         \$0.00         \$22.28         3A           4         01/12/04         92370         SPECTACLES EXCEPT FOR APHAKIA         01/26/04         \$22.28         \$0.00         \$22.28         3A           4         08/31/05         92340         MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING         09/12/05         \$24.75         \$0.00         \$24.75         1B           8         07/06/05         92341         EXCEPT APHAKIA - INCLUDES         09/19/05         \$27.93         \$0.00         \$27.93         1B	11/14/03   92370   SPECTACLES EXCEPT FOR APHAKIA   12/01/03   \$222.28   \$6.00   \$222.28   14,3A     29	11/14/03   92370   SPECTACLES EXCEPT FOR APHAKIA   12/01/03   \$22.28   \$0.00   \$22.28   14.3A

. Page 10 of 40.

Bircumshaw Provider No. Audir# MA 08-05

In re Bircumshaw DSHS-0000000079




## Projected Sample Overpayments

Bircums... Provider No....... Audit # MA 08-05

Record	Strata	Service Date	PROC Code	Procedure Description	Paid Date	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding Number	Finding Description
36	4	08/26/05	92340	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	09/12/05	\$24,75	\$0.00	\$24.75	1B, 4C	No chart note Required interval between fitting not met
87	17	02/18/05	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	03/07/05	\$77.08	\$42.39	\$34.69	2	Incorrect level of E/M code billed
92	Ø	01/09/06	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	01/23/06	\$27.93	00.08	\$27.93	1B, 3B	No chart note Repair and refitting billed on same date
693	10	04/20/05	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	05/05/05	\$27.98	\$0.00	\$27.98	18	No chart note
96	15	08/20/03	99214	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	09/15/03	\$54.00	\$34.50	\$19.50	74	Incorrect ievel of E/M code billed
97	6	02/27/06	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	03/13/06	\$27.93	\$0.00	\$27.93	1B, 4C	No chart note Required interval between fitting not met
86	œ	07/14/05	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	08/01/05	\$27.93	\$0.00	\$27.93	1B, 4C	No chart note Required interval between fitting not met
66	4	06/20/03	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	07/14/03	\$24.12 )	\$0.00	\$24.12	1B, 4C	No chart note Required interval between fitting not met

Page 11 of 40

In re Bircumshaw DSHS-0000000080




# Projected Sample Overpayments

			<del></del>	· · · · · · · · · · · · · · · · · · ·			
Finding Description	No documentation for the procedure billed	Nò chart note	incorrect level of E/M code billed	Incorrect level of E/M code billed	Incorrect level of E/M code billed	No chart note	No chart note
Finding Number	1A .	18	7		2	18	. 18
Overpaid Amount	\$52.78	\$27.93	\$35.20	\$85.35	\$9.19	\$24.75	\$24.80
Audited Correct Amount	\$0.00	\$0.00	\$42.92	\$24.25	\$25.56	\$0.00	\$0.00
Amount Paid	\$52.78	\$27.53	\$78.12	\$109.60	\$34.75	\$24.75	\$24.80
Paid Date	04/12/04	09/12/05	05/23/06	12/20/04	10/24/05	01/02/06	02/28/05
Procedure Description	FITTING/DISPENSING OF CONTACT	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT 40 MINUTES FACE-TO- FAÇE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 1S MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF LOW TO MODERATE SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING
PROC	92310	92341	92004	99215.	99213	92340	<u> </u>
Service Date	03/30/04	08/26/05	90/50/50	12/03/04	10/14/05	11/28/05	02/14/05
Strata	14	ω	18	20		ν.	7
Record	100	101	102	103	106	108	113

Page 12 of 40

In re Bircumshaw DSHS-0000000081




Bircumshaw , Provider No. Audit # MA 08-05

# Projected Sample Overpayments

Bircumshaw Provider No. Audit # MA 08-05

	Đ.		billed	u 00 .	a G	; · ,	g.
Finding Description	Incorrect level of E/M code billed	Erroneous billing	Fitting of spectacles also billed	Required interval between fitting not met Repair and refitting billed on same date	Incorrect level of E/M code billed	No documentation for the procedure billed	No chart note Required interval between fitting not met
Finding	2 E id	4A E	3A	4C, 3B R	2	1A P	1B, 4C R
Overpaid Amount	\$38.22	\$115.25	\$20.44	\$24.80	\$28.80	\$52.78	\$24.75
Audited Correct Amount	\$37.99	\$0.00	\$0.00	\$0.00	\$25.56	\$0.00	\$0.00
Amount Paid	\$76.21	\$115.25	\$20.44	\$24.80	\$54.36	\$52.78	\$24.75
Paid Date	04/12/04	02/07/05	04/03/06	04/18/05	10/24/05	06/28/04	02/22/02
Procedure Description	OPHTHALMOLOGICAL SERVICES, MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	FITTING/DISPENSING OF CONTACT LENS	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING
PROC	92004	99205	92370	92340	99214	92310	92340
Service Date	03/29/04	01/24/05	03/17/06	04/06/05	09/26/05	06/09/04	07/08/05
Strata	16	50	2	∞	15	14	4
Record	114	116	117	119	120	121	124

. Page 13 of 40



# Projected Sample Overpayments

					<del></del>	<del></del>	<del></del>
Finding Description	No chart note 18, 4C · Required interval between fitting not met	No chart note	No chart note	incorrect level of E/M code billed	No chart note Required interval between 1B, 4C, 3B fitting not met Repair and refitting billed on same date	Incorrect level of E/M code billed	No documentation for the procedure billed
Finding Number	1B, 4C	18	18	7	18, 4C, 3B	7	1A
Overpaid Amount	\$27.30	\$24.12	\$27.93	\$17.50	\$24.75	\$34.69	\$22.28
Audited Correct Amount	\$0.00	\$0.00	\$0.00	\$24.75	\$0.00	\$42.39	\$0.00
Ámount Paid	\$27.30	\$24.12	\$27.93	\$42.25	\$24.75	\$77.08	\$22.28
Paid Date	06/23/03	07/14/03	11/14/05	09/15/03	01/30/06	07/11/05	12/15/03
Procedure Description	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL 92341 EXCEPT APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 20 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF LOW TO MODERATE SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 12/15/03 - INCLUDES DISPENSING
PROC	92341	92340	92341	99202	92340	92004	92370
Service Date	06/04/03	06/20/03	11/03/05	08/22/03	01/19/06	02/16/05	12/02/03
Strata	60	4	ω.	11	Ŋ	1,7	4
Record	125	126	127	128	129	131	133

Page 14 of 40

EXHIBIT 27 PAGE 29 OF 8 (

In re Bircumshaw DSHS-0000000083

Bircumsh... Provider No Audit # MA 08-05

### Projected Sample Overpayments

					T		· · · · · · · · · · · · · · · · · · ·
Finding Description	Erroneous billing	No chart note Required interval between fitting not met	incorrect level of E/M code billed	Incorrect level of E/M code billed	Erroneous billing	No documentation for the procedure billed	Incorrect level of E/M code billed
Finding Number	. 44	1B, 4C	. 2		4A	¥.	. ~
Overpaid Amount	\$115.25	\$24.80	\$40.75	\$84.87	\$83.15	\$53.37	\$28.80
Audited Correct Amount	\$0.00	\$0.00	\$14.25	\$30.38	00'0\$ .	\$0.00	\$25.56
Amount Paid	\$115.25	\$24.80	\$55.00	\$115.25	\$83.15	\$53.37	\$54.36
Paid Date	08/23/04	05/23/05	03/14/05	11/01/04	12/27/04	05/29/06	02/13/06
Procedure Description	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	EXTRACAPSULAR CATARACT REMOVAL	FITTING/DISPENSING OF CONTACT LENS	
PROC	99205	92340	99214	99205	66984	92310	99214
Service Date	07/16/04	05/10/05	03/02/05	10/18/04	11/23/04	05/17/06	01/27/06
Strata	20,	∞	15	20	19	14	15
Record	137	139	140	141	142	143	. 144

Page 15 of 40


EXPROIT 27 MAGE 30 OF 81

### Projected Sample Overpayments

ļ'	Strata	Service Date	PROC	Procedure Description	Paid	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding Number	Finding Description
	11	12/09/05	99213	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 15 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF LOW TO MODERATE SEVERITY	12/26/05	\$34.75	\$25.56	\$9.19	2	Incorrect level of E/M code
	80	05/27/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	. 06/13/05	\$24.80	\$0.00	\$24.80	1B, 4C	No chart note Required interval between fitting not met
-	н	04/21/05	92390	SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS	05/05/05	\$16.50	\$0.00	\$16.50	41	No documentation for the procedure billed
	4	07/06/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	07/18/05	\$24.75	\$0.00	\$24.75	1B, 4C	No chart note Required interval between fitting not met
	m	02/15/05	92370	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	02/28/05	\$21.96	\$0.00	\$21.96 <sup>°</sup>	1.4	No documentation for the procedure billed
	20	02/03/06	99205	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	. 02/20/06	\$113.92	\$24.08	\$89.84	. 2	Incorrect level of E/M code billed
	18	05/27/05	99215	OFFICE & OTHER OP VISIT. EVAL/MGMT ESTABLISHED PATIENT 40 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	06/13/05	\$79.75	\$25.25	\$54.50	, 4	Incorrect level of E/M code billed

Page 16 of 40

In re Bircumshaw DSHS-0000000085



Bircumsi... Provider No. Audit # MA 08-05

### Projected Sample Overpayments

				<del></del>	
Incorrect level of E/M code	Incorrect level of E/M code billed	Incorrect level of E/M code billed	No documentation for the procedure billed	Fitting of spectacles also billed No chart note	Incorrect level of E/M code billed
7	. 2	. 2	Ĭ,	3A, 1B	
\$44.50	\$28.80	\$46.75	\$16.50	\$22.28	\$89.84
\$35.25	\$25.56	\$42.25	\$0.00	\$0.00	\$24.08
\$79.75	\$54.36	\$89.00	\$16.50	\$22.28	\$113.92
03/07/05	04/10/06	02/02/04	02/03/04	01/19/04	50/50/60
OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT 40 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY		SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVALAMGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY
99215	99214	99204	92390	92370	99205
02/23/05	03/24/06	01/15/04	01/20/04	12/31/03	08/24/05
18	15	19	rri	4	20
154	155	156	157	158	159
	18 02/23/05 99215 FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH	18 02/23/05 99215 FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVELY/MGMT ESTABLISHED ARE OF MODERATE TO HIGH SEVERITY OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED  15 03/24/06 99214 FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY  16 03/24/06 99214 FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY SEVERITY  17 03/24/06 525.56 \$28.80 2 SEVERITY	18 02/23/05 99215 FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED ARE OF MODERATE TO HIGH SEVERITY OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED  15 03/24/06 99214 FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED SEVERITY OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 45  19 01/16/04 99204 MINUTES FACE-TO-FACE, MODERATE TO HIGH SEVERITY MODERATE TO HIGH SEVERITY  19 01/16/04 99204 MINUTES FACE-TO-FACE, MODERATE TO HIGH SEVERITY	18 02/23/05 99215 PATIENT 40 MINUTES FACE-TO- ARE OF MODERATE TO HIGH  18 02/23/05 99215 PATIENT 40 MINUTES FACE-TO- ARE OF MODERATE TO HIGH  15 03/24/06 99214 PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS  16 01/16/04 99204 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS  17 01/20/04 92390 SUPPLY OF SPECTACLES, EXCEPT  18 02/23/05 99215 PATIENT 40 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS  19 01/16/04 99204 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS  10 01/20/04 92390 SUPPLY OF SPECTACLES, EXCEPT  11 01/20/04 92390 PROSTHESIS	18   02/23/05   99215   FADERING PROBLEMS   63/07/05   579.75   535.25   544.50   2     18   02/23/05   99215   FADERING PROBLEMS   70.00

Page 17 of 40

Provider No. Audit# MA 08-05 Bircumst...



# Projected Sample Overpayments

	,			· · · · · · · · · · · · · · · · · · ·	·		
Finding Description	Incorrect level of E/M code billed	No chart note	No chart note	No chart note Repair and refitting billed on same date	Incorrect level of E/M code billed	Required interval between fitting not met	No chart note
Finding Number	2	18	18	18,38	7	4C	18
Overpaid Amount	, \$34.69	\$27.93	\$24.80	\$24.80	\$73.58	\$27.98	\$27.98
Audited Correct Amount	. \$42.39	\$0.00	\$0.00	\$0.00	\$30.20	\$0.00	\$0.00
Amount Paid	. \$77.08	\$27.93	\$24.80	\$24.80	\$103.78	\$27.98	\$27.98
Paid Date	07/11/05	08/08/05	06/27/05	03/28/05	05/08/06	01/17/05	06/27/05
Procedure Description	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	92341 EXCEPT APHAKIA - INCLUDES
PROC	92004	92341	92340	92340	99244	92341	92341
Service · Date	06/27/05	07/22/05	06/15/05	03/14/05	04/21/06	10/29/04	06/13/05
Strata	17	ω	ø	∞	20	6.	10
Record	160	161	162	163	166	167	168

Page 18 of 40

In re Bircumshaw DSHS-0000000087

EXHIBIT\_27 PAGE\_330F\_8

Bircumshaw Provider No. Audit # MA 08-05

# APPENDIX A Projected Sample Overpayments

 · · · · · · · · · · · · · · · · · · ·				Т		<del></del>	
Finding Description	Incorrect level of E/M code billed	No documentation for the procedure billed	No chart note	No chart note	Incorrect level of E/M code billed	No chart note	No documentation for the procedure billed
Finding Number	2	14	18	18	. 7	18	41
Overpaid Amount	\$48.59	\$22.28	\$24.12	\$27.93	\$29.25	\$24.80	\$16.50
Audited Correct Amount	\$55.19	\$0.00	\$0.00	\$0.00	\$24.75	\$0.00	\$0.00
Amount Paid	\$103.78	\$22.28	\$24.12	\$27.93	\$54.00	\$24.80	\$16.50
Paid Date	04/17/06	09/15/03	07/21/03	02/06/06	04/12/04	04/18/05	04/19/04
. Procedure Description	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 09/15/03 - INCLUDES DISPENSING	PITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS
PROC	99244	92370	92340	92341	99214	92340	92390
Service Date	90/0ɛ/ɛ0	08/11/03		01/23/06	03/03/04	04/05/05	04/06/04
Strata	20	3	4	∞	15		-
Record	169	170	171	172	173	. 174	176

Page 19 of 40

In re Bircumshaw DSHS-0000000088

Bircumshaw provider No.
Audit # MA 08-05

# APPENDIA A Projected Sample Overpayments

Bircumsha. Provider No. Audit # MA 08-05

		<del></del>	<del></del>		<del></del>
Incorrect level of E/M code billed	Incorrect level of E/M code billed	Incorrect level of E/M code billed	No chart note No lab ordering form	No required history	No chart note
7	7	7	18, 1D	10	18
\$34.69	\$88.36	\$87.81	\$24.12	\$78.12	\$27.93
\$42.39	\$25.56	\$24.75	\$0.00	\$0.00	\$0.00
\$77.08	\$113.92	\$112.56	\$24.12	\$78.12	\$27.93
01/03/05	02/13/06	06/14/04	06/23/03	90/80/50	11/14/05
OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY		FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING		FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING
92004	99205	99215	92340	92004	92341
12/27/04	08/19/05	06/02/04	06/02/03	04/24/06	11/02/05
17	20	20	4	17	8
177	179	181	182	. 183	184
	17 12/27/04 92004 COMPHREHENSIVE, NEW PATIENT, O1/03/05 \$77.08 \$42.39 \$34.69 2 ONE OR MORE VISITS	17 12/27/04 92004 MEDICAL EXAM & EVALUATION; 01/03/05 \$77.08 \$42.39 \$34.69 2 OPHTHALMOLOGICAL SERVICES; 01/03/05 \$77.08 \$42.39 \$34.69 2 ONE OR MORE VISITS ONE OR MORE VISITS OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 EVAL/MGMT NEW PATIENT, 60 PRESENTING PROBLEMS OF MINUTES FACE-TO-FACE, 02/13/06 \$113.92 \$25.56 \$88.36 2 MODERATE TO HIGH SEVERITY	17   12/27/04   92004   MEDICAL EXAM & EVALUATION;   01/03/05   \$77.08   \$42.39   \$34.69   2     10   12/27/04   92004   COMPHREHENSIVE, NEW PATIENT,   OLIGE & OTHER OP VISIT-   EVAL/MGMT NEW PATIENT, 60     20   08/19/05   99205   MINUTES FACE-TO-FACE,   PRESENTING PROBLEMS OF   MODERATE TO HIGH SEVERITY   OFFICE & OTHER OP VISIT-   EVAL/MGMT ESTABLISHED   PATIENT 40 MINUTES FACE-TO-FACE,   O6/14/04   \$112.56   \$24.75   \$87.81   2     20   06/02/04   99215   FACE, PRESENTING PROBLEMS   ARE OF MODERATE TO HIGH   SEVERITY   SEVERITY	12/27/04   92004   MEDICAL EXAM & EVALUATION;   01/03/05   577.08   542.39   534.69   2	17   12/27/04   92004   MEDICAL EXAM & FYALUATION:   01/03/05   \$77.08   \$42.39   \$334.69   2

Page 20 of 40

In re Bircumshaw DSHS-0000000089

EXHIBIT 27 PAGE 35 OF 81

# Projected Sample Overpayments

· · · · · · · · · · · · · · · · · · ·							
Incorrect level of E/M code billed	No chart note	No chart note Required interval between fitting not met	Erroneous billing	No chart note Repair and refitting billed on same date	No chart note Required interval between fitting not met	No documentation for the procedure. billed	No chart note
. 74	. 18	1B, 4C	4 A	18, 38	. 1B, 4C	41	18
\$35.20	\$27.98	\$24.80	\$78.12	\$35.00	\$24.75	\$22.28	\$27.98
\$42.92	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
\$78.12	\$27.98	\$24.80	\$78.12	\$35.00	\$24.75	\$22.28	\$27.98
06/12/06	06/13/05	01/10/05	12/05/05	06/14/04	08/29/05	08/16/04	08/30/04
OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING/DISPENSING OF CONTACT LENS	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING
92004	92341	92340	92004	92310	92340	.92370	92341
05/26/06	05/27/05	12/30/04	11/18/05	06/02/04	08/17/05	05/04/04	08/17/04
18	10	. 7	17	11	4	4	6
185	186	187	188	190	192	193	195
	18 05/26/06 92004 MEDICAL EXAM & EVALUATION; 06/12/06 \$78.12 \$42.92 \$35.20 2 ONE OR MORE VISITS	18 05/26/06 92004 MEDICAL EXAM & EVALUATION; 06/12/06 \$78.12 \$42.92 \$35.20 2 ONE OR MORE VISITS  10 05/27/05 92341 EXCEPT APHAKIA - INCLUDES 06/13/05 \$27.98 \$0.00 \$27.98 1B	18         05/26/06         92004         MEDICAL EXAM & EVALUATION; OG/12/06         \$78.12         \$42.92         \$35.20         2           10         05/27/05         92341         EXCEPT APHAKIA - INCLUDES         06/13/05         \$27.98         \$0.00         \$27.98         1B           7         12/30/04         92340         MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING         01/10/05         \$24.80         \$0.00         \$24.80         1B, 4C	18   05/26/06   92004   MEDICAL EXAM & EVALUATION;   06/12/06   578.12   \$42.92   \$35.20   2	18         05/26/06         92004         MEDICAL EXAM & EVALUATION; COMPHTHALIMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT; COMPHREHENSIVE, NEW PATIENT; COMPHREHENSIVE, NEW PATIENT; COMPHREHENSIVE, NEW PATIENT; COMPHT COMPHREHENSIVE, NEW PATIENT; COMPHTHALIMOLOGICAL SERVICES; COMPHTHA	18   05/26/06   92004   MEDICAL EXAM & EVALUATION; O6/12/06   \$78.12   \$42.92   \$35.20   2	18   05/26/06   92004   MEDICAL EXAM & EVALUATION;   06/12/06   \$78.12   \$42.92   \$35.20   2

Page 21 of 40

In re Bircumshaw DSHS-0000000090

EXHIBIT 27 PAGE 310 OF 81

Bircumsi. Provider No. Audit # MA 08-05

## Projected Sample Overpayments

·····	· · · · · · · · · · · · · · · · · · ·				<del></del>	<del></del>	<del></del>	η
Finding Description	No chart note Required interval between fitting not met No lab ordering form	Erroneous billing	No chart note	Required interval between fitting not met Repair and refitting billed on same date	Fitting of spectacles also billed	No chart note	Erroneous billing	Required interval between fitting not met
Finding Number	\$24.80 1B, 4C, 1D	44 4	18	4C, 3B	3A	18	, 44	4C
Overpaid Amount	\$24.80	\$76.21	\$27,93	\$24.75	\$21.78	\$24.80	\$24.80	\$27.93
Audited Correct Amount	\$0.00	\$0:00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Amount Paid	\$24.80	\$76.21	\$27.93	\$24.75	\$21.78	\$24.80	\$24.80	\$27.93
Paid Date	03/22/04	02/23/04	11/14/05	09/19/05	06/23/03	04/04/05	06/20/05	04/03/06
Procedure Description	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLÜDES DISPENSING.	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	HTTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING
PROC	92340	92004	92341	92340	92370	92340	92340	92341
Service Date	03/05/04	08/08/03	10/31/05	50/90/60	06/02/03	03/23/05	90/20/90	03/22/06
Strata	9	16	80	4	м	∞ .	œ	б
Record	196	197	199	200	201	202	203	204

Page 22 of 40

In re Bircumshaw DSHS-0000000091 EXHIBIT 27 PAGE 37 OF 81


Bircymsi. Provider No. ......... Audit # MA 08-05

## Projected Sample Overpayments

Bircumsha... Provider No. Audit # MA 08-05

<u> </u>					<del></del>
No documentation for the procedure billed Required interval between fitting not met Repair and refitting billed on same date	No documentation for the procedure billed Required interval between fitting not met Repair and refitting billed on same date	No documentation for the procedure billed	Incorrect level of E/M code billed	Incorrect level of E/M code billed	Incorrect level of E/M code billed
1A, 4C, 3B	1A, 4C, 3B	1. J.A	2	7	2
\$15.17	\$15.17	\$22.28	\$34.35	\$35.03	\$90.00
\$0.00	\$0.00	\$0.00	\$41.86	\$42.32	\$25.25
\$15.17	\$15.17	\$22.28	\$76.21	\$77.35	\$115.25
10/24/05	12/19/05	06/28/04	02/09/04	07/14/03	08/08/05
SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS	SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLÜDES DISPENSING	OPHTHALMOLOGICAL SERVICÉS; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OPHTHALMOLOGICAL SERVICES, MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY
92390	92390	92370	92004	92004	99205
10/10/05	12/05/05	06/11/04	01/26/04	06/23/03	04/22/05
	++	4	16	. 17	20
. 506	207	208	509	210	, 211
	1 10/10/05 92390 SUPPLY OF SPECTACLES, EXCEPT 10/24/05 \$15.17 1A, 4C, 38 PROSTHESIS	1 12/05/05 92390 PROSTHESIS 10/24/05 \$15.17 \$0.00 \$15.17 1A, 4C, 3B 12/05/05 92390 PROSTHESIS 10/24/05 \$15.17 \$0.00 \$15.17 1A, 4C, 3B	1 12/05/05 92390 RPCTHESIS 10/19/05 92390 BROSTHESIS 12/19/05 92390 SUPPLY OF SPECTACLES, EXCEPT 12/19/05 \$15.17 \$0.00 \$15.17 1A, 4C, 3B BROSTHESIS 12/19/05 \$15.17 \$0.00 \$15.17 1A, 4C, 3B BROSTHESIS 12/19/05 \$15.17 \$0.00 \$15.17 1A, 4C, 3B BROSTHESIS 12/19/05 SPECTACLES EXCEPT FOR APHAKIA 06/28/04 \$22.28 \$0.00 \$22.28 1A	1 10/10/05 92390 PROSTHESIS 1 12/05/05 92390 PROSTHESIS 1 12/05/05 92300 PROSTHESIS 2 15.17 \$0.00 \$15.17 \$14,4C,38 2 16.01/26/04 \$12004 \$12004 \$12004 \$12004 \$12004 \$12004 \$12004 \$12004 \$12004 \$120004 \$12004 \$12004 \$12004 \$12004 \$12004 \$12004 \$12004 \$12004 \$120004 \$12004	1 12/05/05 92390 SUPPLY OF SPECTACLES, EXCEPT 10/24/05 \$15.17 \$0.00 \$15.17 1A, 4C, 3B PROSTHESIS  1 12/05/05 92390 PROSTHESIS  4 06/11/04 92370 SPECTACLES EXCEPT FOR APHAKIA OF INCLUDES DISPERSING OPHTHALMOLOGICAL SERVICES. ONE OR MORE VISITS OPHTHALMOLOGICAL SERVICES. OPHTHALMOLOGICAL SERVICES. ONE OR WORE VISITS OPHTHALMOLOGICAL SERVICES. ONE OPHTHALMOLOGICAL SERVICES. ONE OR MORE VISITS OPHTHALMOLOGICAL SERVICES. ONE OPHTHALMOLOGICAL SERVICES. OP

Page 23 of 40



#### APréNDIX A

## APPENDIA A Projected Sample Overpayments

Bircumsh. Provider No. Audit # MA 08-05

Record	Strata	Service Date	PROC	Procedure Description	Paid Date	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding Number	Finding Description
212	60	04/04/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	04/18/05	\$24.80	\$0.00	\$24.80	1B	No chart note
213	∞	06/18/03	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	07/07/03	\$27.30	\$0.00	\$27.30	18, 38	No chart note Repair and refitting billed on same date
217	15	10/01/04	99214	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	10/18/04	\$55.00	\$14.25	\$40.75	7	Incorrect level of E/M code billed
218	14	50/60/50	92310	FITTING/DISPENSING OF CONTACT LENS	05/23/05	\$53.05	\$0.00	\$53.05	1.8	No chart note
219	15	09/02/05	99214	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	. 09/11/05	\$54.36	\$25.56	\$28.80	7	Incorrect level of E/M code billed
. 220	15	09/24/04	99214		10/11/04	\$55.00	\$25.25	\$29.75	2	Incorrect level of E/M code billed
222	7	90/90/ε0	92370	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 03/20/06 - INCLUDES DISPENSING	03/20/06	\$20.44	\$0.00	\$20.44	. 1A	No documentation for the procedure billed


Page 24 of 40

Bircumshaw Provider No. Audit # MA 08-05

APPENDIX A Projected Sample Overpayments

			<del></del>			<del></del>	
	Finding Description	Incorrect level of E/M code billed	No chart note	Incorrect level of E/M code billed	Double billing	No chart note Required interval between fitting not met	Incorrect level of E/M code billed
	Finding Number	2	18	74	4B	1B, 4C	
	Overpaid Amount	\$89.84	\$27.93	\$73.58	\$103.78	\$24.80	\$73.58
	Correct	\$24.08	\$0.00	\$30.20	\$0.00	\$0.00	\$30.20
	Amount Paid	\$113.92	\$27.93	\$103.78	\$103.78	\$24.80	\$103.78
-	Paid Date	09/12/05	09/19/05	11/21/05	11/28/05	04/11/05	11/07/05
	Procedure Description	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 50 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODFRATE TO HIGH SEVERITY	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, GO MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY
	PROC	99205	92341	99244	99244	92340	99244
	Service Date	08/26/05	09/05/05	10/28/05	11/16/05	03/28/05	9/28/05
	Strata	20	co	20	50	∞	20
`	Record	223	225	226	229	230	231

Page 25 of 40



# APréNDIX A Projected Sample Overpayments

Strata	g	Service Date	PROC	Procedure Description	Paid Date	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding Number	Finding Description
m		08/04/03	92370	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	09/01/03	\$22.28	\$0.00	\$22.28	1A	No documentation for the procedure billed
7	20	04/07/06	99244	OFFICE/OP CONSULTATION FOR INEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	04/24/06	\$103.78	\$30.20	\$73.58		Incorrect level of E/M code billed
	14	11/05/04	92310	FITTING/DISPENSING OF CONTACT LENS	11/22/04	\$53.05	\$0.00	\$53.05	18	No chart note
	5	03/17/06	92340	92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	04/03/06	\$24.75	\$0.00	\$24.75	. 118	No chart note
	7	11/01/04	92340	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	11/15/04	\$24.80	\$0.00	\$24.80	18 18	No chart note
	14	12/30/04	67820	CORRECTION TRICHIASIS, EPILATION BY FORC	01/10/05	\$46.47	\$0.00	\$46.47	1	No documentation for the procedure billed
<u> </u>	9	. 10/02/03	92340	PITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	10/27/03	\$24.80	\$0.00	\$24.80	18,38	No chart note Repair and refitting billed on same date

Page 26 of 40

In re Bircumshaw DSHS-0000000095

Bircumsha... Provider No. Audit # MA 08-05

# Projected Sample Overpayments

							<del>:</del>	<del></del>
	Finding Description	Incorrect level of E/M code billed	No required history	No chart note	Erroneous billing	No documentation for the procedure billed	Incorrect level of E/M code billed	No chart note
	Finding Number	. 2	1C	18	4A	14		18
	Overpaid Amount	\$28.80	\$76.21	\$27.30	\$115.25	\$83.15	\$90.00	\$27.98
Amaritand	Audited Correct Amount	\$25.56	\$0.00	\$0.00	\$0.00	\$0.00	\$25.25	80.00
	Amount Paid	\$54.36	\$76.21	\$27.30	\$115.25	\$83.15	\$115.25	\$27.98
Paid Date		04/17/06	11/17/03	07/21/03	11/15/04	09/13/04	04/18/05	. 04/25/05
	Procedure Description	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING		MODERATE TO HIGH SEVERITY EXTRACAPSULAR CATARACT		MUDEKATE TO MOTEST ENTRY FITTING OF SPECTACLES, BIFOCAL 92341 EXCEPT APHAKIA - INCLUDES OISPENSING
	PROC	99214	92004	92341	99205	66984	99205	92341
	Service Date	03/31/06	50/50/60	06/23/03	. 08/03/04	07/06/04	04/06/05	04/15/05
	Strata	15	16	8	20	19	50	10
	Record	243	244	245	246	247	248	249

Page 27 of 40

Bircumshaw Provider No. Audit # MA 08-05

In re Bircumshaw DSHS-0000000096 EXHIBIT 27
PAGE 12 OF 8 [

Provider No. Audit# MA 08-05

Bircumst.

Projected Sample Overpayments

	<u> </u>			<u> </u>			<del></del> -
Finding Description	incorrect level of E/M-code billed	Incorrect level of E/M code billed	No chart note No lab ordering form	No chart note Required interval between fitting not met	Fitting of spectacles also billed No chart note Required interval between fitting not met	No chart note Required interval between 1B, 4C, 3B fitting not met Repair and refitting billed on same date	No lab ordering form
Finding Number	7	2	18, 1D	18,4C	\$20.44 3A, 18, 4C	18, 4C, 38	1D .
Overpaid Amount	\$73.58	\$89.84	\$1.95	\$24.80	\$20.44	\$24.75	\$52.78
Audited Correct Amount	\$30.20	\$24.08	\$51.10	\$0.00	\$0.00	\$0.00	\$0.00
Amount Paid	\$103.78	\$113.92	\$53.05	\$24.80	\$20.44	.\$24.75	\$52.78
Paid Date	12/05/05	08/22/05	10/25/04	05/16/05	05/29/06	05/29/06	05/03/04
Procedure Description	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF	FITTING/DISPENSING OF CONTACT	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 05/29/06 - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	92310 HTTING/DISPENSING OF CONTACT
PROC	99244	99205	92310	92340	92370	92340	92310
Service Date	11/18/05	08/03/05	10/08/04	04/29/05	05/17/06	05/17/06	04/16/04
Strata	20	20 .	. 14	00			. 14
Record	250	251	254	255	256	257	258

Page 28 of 40

# Projected Sample Overpayments

	Finding Description	
	Finding Number	
	Overpaid Amount	
	Audited Correct Amount	
	Amount Paid	
	·Paid Date	
	Procedure Description	
,	PROC	
	Service Date	
	Strata	

	Record	Strata	Service Date	PROC	Procedure Description	-Paid Date	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding Number	Finding Description
<u> </u>	260	16	12/05/03	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	01/12/04	\$76.21	\$0.00	\$76.21	1C	No required history
<u> </u>	261	14	04/25/04	92310	FITTING/DISPENSING OF CONTACT LENS	05/10/04	\$52.78	\$0.00	\$52.78	18	No chart note
<del>                                     </del>	265	5	01/09/04	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	01/26/04	\$27.98	\$0.00	\$27.98	18	No chart note
	266	Ŋ	10/17/05	92340	FITTING OF SPECTACLES, MONOFÓCAL EXCEPT FOR APHAXÍA - INCLUDES DISPENSING	10/31/05	\$24.75	\$0.00	\$24.75	18	No chart note
	267	10	05/31/05	92341	FITTING OF SPECTACLES, BIFOCAL 92341 EXCEPT APHAKIA - INCLUDES DISPENSING	06/13/05	\$27.98	\$0.00	\$27.98	18, 4C	No chart note Required interval between fitting not met
	268	4	08/11/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	08/29/05	\$24.75	\$0.00	\$24.75	18	No chart note
<u> </u>	270	14	05/04/05	92310	FITTING/DISPENSING OF CONTACT LENS	05/16/05	\$53.05	\$0.00	\$53.05	18	No chart note
<u> </u>	271	4	11/20/03	92370	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 12/01/03 INCLUDES DISPENSING	12/01/03	\$22.28	\$0.00	\$22.28	1A, 3A	No documentation for the procedure billed Fitting of spectacles also billed

Page 29 of 40

In re Bircumshaw DSHS-000000098

Bircumshe.. Provider No. Audit # MA 08-05

# APrENDIX A Projected Sample Overpayments

Bircumsh. Provider No. Audit # MA 08-05

						-				
Record Number	Strata	Service Date	PROC	Procedure Description	Paid Date	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding . Number	Finding Description
272	Ŋ	05/10/06	92340	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	05/22/06	\$24.75	\$0.00	\$24.75	18, 4C, 38	No chart note Required interval between 1B, 4C, 3B fitting not met Repair and refitting billed on same date
274	15	E0/80/80	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT. ONE OR MORE VISITS	09/01/03	\$76.21	\$0.00	\$76.21	1C .	No required history
275	∞	05/13/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	05/23/05	\$24.80	\$0.00	\$24.80	40	Required interval between fitting not met
276	7	05/04/05	92082	VISUAL FIELD EXAM, UNILATERAL/BILATERAL, W/INTERPRETATION & REPORT; INTERMEDIATE EXAM	05/16/05	\$36.73	\$0.00	\$36.73	1.A	No documentation for the procedure billed
277	œ	05/19/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	06/13/05	\$24.80	\$0.00	\$24.80	18	No chart note
278	20	05/31/06	99244	OFFICE/OP CONSULTATION FOR NEW OR ESTABLISHED PATIENT, GO MINUTES FACE-TO-FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	07/03/06	\$103.78	\$55.19	\$48.59	. ~~	Incorrect level of E/M code billed
279	Ø	04/30/04	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	05/17/04	\$27.98	\$0.00	\$27.98	. 18	No chart note

Page 30 of 40

#### APreNDIX A

# Projected Sample Overpayments

Bircumsh. Provider No. Audit # MA 08-05

·						·	
Finding Description	No chart note	No chart note Required interval between 1B, 4C, 3B fitting not met Repair and refitting billed on same date	No chart note	No required history	No required historγ	Erroneous billing	No documentation for the procedure billed
Finding Number	18	1B, 4C, 3B	HB.	10	1C	4A	14
Overpaid Amount	\$24.75	\$27.93	\$24.80	\$78.12	\$77.08	\$89.05	\$15.17
Audited Correct Amount	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Amount Paid	\$24.75	\$27.93	\$24.80	\$78.12	\$77.08	\$89.05	\$15.17
Paid Date	07/18/05	11/14/05	03/28/05	10/31/05	08/16/04	10/20/03	10/24/05
Procedure Description	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAXIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 30 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE SEVERITY	SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS
PROC Code	92340	92341	92340	92004	92004	99203	92390
Service Date	07/06/05	10/31/05	03/16/05	10/20/05	08/03/04	08/18/03	10/11/05
Strata	4	ω	∞	17	16	19	+
Record	280	281	282	283	284	285	. 287

Page 31 of 40



# Projected Sample Overpayments

Bircumshaw Provider No. Audit # MA 08-05

<del>-,</del>					•	- 1		
Finding Description	No required history	No chart note	No chart note: Required interval between 1B, 4C, 3B fitting not met Repair and refitting billed on same date	No chart note Required interval between fitting not met	No chart note	No.chart note Required interval between fitting not met	No chart note	No chart note
Finding Number	10	18	 1B, 4C, 3B	1B, 4C.	18	18, 4C.	18	18
Overpaid Amount	\$77.08	\$24.12	\$27.93	\$27.93	\$24.75	\$27.98	\$52.78	\$24.80
Audited Correct Amount	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Amount Paid	\$77.08	\$24.12	\$27.93	\$27.93	\$24.75	\$27.98	\$52.78	\$24.80
Paid Date	04/18/05	07/21/03	10/24/05	07/25/05	09/11/05	07/28/03	03/08/04	12/29/03
Procedure Description	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING		1
PROC	92004	92340	92341	92341	92340	92341	92310	92340
Service	04/04/05	60/30/03	10/12/05	07/11/05	08/31/05	07/02/03	02/23/04	12/17/03
Strata	17	4	∞	8	4	.თ	14	9
Record	289	291	395	296	297	298	299	300

Page 32 of 40

EXHIBIT 27 PAGE 47 OF 8

# Projected Sample Overpayments

								· · · · · · · · · · · · · · · · · · ·
Finding Description	No documentation for the procedure billed	No chart note	Fitting of spectacles also billed 3A, 1B, 1D No chart note No lab ordering form	No chart note	Erroneous billing	No chart note Required interval between fitting not met	No chart note	Incorrect level of E/M code billed
Finding Number	14	18	3A, 18, 1D	1.8	4 Å	18, 4C	18	
Overpaid Amount	\$52.78	\$24.75	\$46.33	\$53.05	\$78.12	\$24.80	\$27.93	\$34.35
Audited Correct Amount	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$41.86
Amount Paid	\$52.78	\$24.75	\$46.33	\$53.05	\$78.12	\$24.80	\$27.93	\$76.21
Paid Date	07/12/04	11/07/05	09/23/03	04/18/05	02/08/06	07/04/05	01/30/06	07/12/04
Procedure Description	FITTING/DISPENSING OF CONTACT LENS	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING FEE - CONTACT LENSES INCLUDES DISPENSING AND 30 DAY FOLLOW-UP CARE/RPLD BY 92314-92317	FITTING/DISPENSING OF CONTACT LENS	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS
PROC	92310	92340	9276M	92310	92004	92340	92341	92004
Service Date	05/19/04	10/21/05	08/29/03	04/06/05	04/26/05	06/20/05	01/11/06	. 06/24/04
Strata	14	2	14	14	. H	∞	∞	. 16
Record	301	302	303	306	307	308	309	310

Page 33 of 40

In re Bircumshaw DSHS-0000000102

EXHIBIT 27 PAGE 480F81

Bircumsh₀... Provider No Audit # MA 08-05 APrENDIX A

# Projected Sample Overpayments

Finding Description	No chart note	incorrect level of E/M code billed	No required history	No lab ordering form	Fitting of spectacles also billed No chart note	No chart note Required interval between fitting not met	No chart note Required interval between fitting not met
Finding Number	18	. 2	.1C	10	3A, 1B	1B, 4C	1B; 4C
Overpaid Amount	\$24.80	\$34.35	\$77.35	\$27.98	\$22.28	\$27.93	\$24.12
Audited Correct Amount	\$0.00	\$41.86	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Amount Paid	\$24.80	\$76.21	\$77.35	\$27.98	\$22.28	\$27.93	\$24.12
Paid Date	10/13/03	01/12/04	08/04/03	01/31/05	07/12/04	07/18/05	08/04/03
Procedure Description	FITTING OF SPECTACLES, 92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	REPAIR & REHTTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL 92341 EXCEPT APHAKIA - INCLUDES DISPENSING	92340 MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING
PROC	92340	92004	92004	92341	92370	92341	92340
Service	09/10/03	12/29/03	06/25/03	01/22/05	05/24/04	07/06/05	06/13/03
Strata	9	16	17	n	4	Ø	4
Record	311	312	313	314	315	316	317

Page 34 of 40

Bircumsh.
Provider No.
Audit # MA 08-05

In re Bircumshaw DSHS-0000000103 EXHIBIT 97 PAGEU9 OF8(

#### \*APrENDIX A

# Projected Sample Overpayments

Bircumsha. Provider No. Audit# MA 08-05

					ľ					
Record Numbër	Strata	Service Date	PROC	Procedure Description	Paid Date	Amount Paid	Audited Correct Amount	Overpaid Amount	Finding Number	Finding Description
320	20	03/24/05	99205	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	07/18/05	. \$115.25	\$0.00	\$115.25	48	Double billing
321	18	07/27/05	99215		98/12/05	\$78.93	\$25.56	\$53.37	2	Incorrect level of E/M code billed
322	4	07/29/05	92340	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	,08/15/05	\$24.75	\$0.00	\$24.75	1B, 4C	No chart note Required interval between fitting not met
323	н	05/17/05	92390	SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS	05/30/05	\$16.50	\$0.00	\$16.50	1A, 4C, 3B	No documentation for the procedure billed Required interval between fitting not met Repair and refitting billed on same date
324	17	01/08/05	92004	OPHTHALMOLOGICAL SERVICES, MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	02/02/05	\$77.08	\$42.39	\$34.69	44 4	Erroneous billing
325	. 17	01/24/05	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	02/02/02	\$77.08	\$0.00	.\$77.08	44	Erroneous billing

Page 35 of 40

# Projected Sample Overpayments

No chart note	No documentation for the procedure billed Repair and refitting billed on same date	No required history	No chart note	Fitting of spectacles also billed No chart note	Incorrect level of E/M code billed	Incorrect level of E/M code billed
18	1A, 3B	10	18	3A, 1B	7	. 2
\$53.05	\$35.00	\$76.21	\$27.93	\$20.44	\$44.18	\$21.00
\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$34.75	\$14.25
\$53.05	\$35.00	\$76.21	\$27.93	\$20.44	\$78.93	\$35.25
04/04/05	09/13/04	05/31/04	02/06/06	04/24/06	09/26/05	03/14/05
FITTING/DISPENSING OF CONTACT LENS	FITTING/DISPENSING OF CONTACT LENS	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA - INCLUDES DISPENSING		OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 15 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF LOW TO MODERATE SEVERLY
92310	92310	92004	92341	92370	99215	99213
03/18/05	08/30/04	05/17/04	01/23/06	04/10/06	07/18/05	02/28/05
1.4	11	. 16	ø.	7	18	11
326	327	328	329	330	331	333
	14 03/18/05 92310 FITTING/DISPENSING OF CONTACT 04/04/05 \$53.05 \$0.00 \$53.05 18	14         03/18/05         92310         FITTING/DISPENSING OF CONTACT         04/04/05         \$53.05         \$6.00         \$53.05         1B           11         08/30/04         92310         FITTING/DISPENSING OF CONTACT         09/13/04         \$35.00         \$0.00         \$35.00         1A, 3B	14         03/18/05         92310         FITTING/DISPENSING OF CONTACT         04/04/05         \$53.05         \$6.00         \$53.05         1B           11         08/30/04         92310         FITTING/DISPENSING OF CONTACT         09/13/04         \$335.00         \$35.00         1A, 3B           16         05/17/04         92004         MEDICAL EXAM & EVALUATION; ONE OR MORE VISITS         05/31/04         \$76.21         \$0.00         \$76.21         1C	14   03/18/05   92310   FITTING/DISPENSING OF CONTACT   04/04/05   \$53.05   \$60.00   \$53.05   18     11   08/30/04   92310   FITTING/DISPENSING OF CONTACT   09/13/04   \$335.00   \$50.00   \$35.00   1A, 3B     15   05/17/04   92004   GOMPHREHENSIVE, NEW PATIENT, OS/31/04   \$76.21   \$0.00   \$76.21   1C     16   05/17/04   92004   COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS   ONE OR MORE VISITS   02/06/06   \$227.93   \$50.00   \$27.93   1B     18   01/23/06   92341   EXCEPT APHAKIA - INCLUDES   DISPENSING   DISPENSING	14   03/18/05   92310   FITTING/DISPENSING OF CONTACT   04/04/05   \$53.05   \$0.00   \$53.05   1B	14   03/18/05   92310

Page.36 of 40

In re Bircumshaw DSHS-0000000105

Bircumshe ... 1 Provider No. \_\_\_\_\_ Audit # MA 08-05

EXHIBIT 27 PAGE<u>5</u> 0F.81

# Projected Sample Overpayments

· · · · · · · · · · · · · · · · · · ·		<del></del>	<del></del>	<del></del> ,	·	
Finding Description	No chart note	No chart note Required interval between 1B, 4C, 3B fitting not met Repair and refitting billed on same date	Incorrect level of E/M code billed	Incorrect level of E/M code billed	incorrect level of E/M code billed	Incorrect level of E/M code billed
Finding Number	BB	1.B, 4C, 3B	2	2	. 2	2
Overpaid Amount	\$24.12	\$27.98	\$88.36	\$54.50	\$29.25	\$29.25
Audited Correct Amount	\$0.00	\$0.00	\$25.56	\$34.50	\$24.75	\$24.75
Amount Paid	\$24.12	\$27.98	\$113.92	\$89.00	\$54.00	\$54.00
Påid Date	60/30/03	08/01/05	12/12/05	03/01/04	04/26/04	04/26/04
Procedure Description	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 60 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 45 MINUTES FACE-TO-FACE, PRESENTING PROBLEMS OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY	OFFICE & OTHER OP VISIT- EVAL/MGMT ESTABLISHED PATIENT, 25 MINUTES FACE-TO- FACE, PRESENTING PROBLEMS ARE OF MODERATE TO HIGH SEVERITY
PROC	92340	92341	99205	99204	99214	99214.
Service Date	£0/60/90	. 06/28/05	11/30/05	02/18/04	02/06/04	02/09/04
Strata	4	10	20	19	15	15
Record	336	337	340	341	342	343


Page 37 of 40

# APreNDIX A Projected Sample Overpayments

			T				<del></del>	
Finding Description	No required history	No chart note	No documentation for the procedure billed	No documentation for the procedure billed	No chart note Required interval between fitting not met	No documentation for the procedure billed	No chart note	No chart note
Finding Number	Jt	18	1A	1A	1B, 4C	<b>4</b> 1	18	18
Overpaid Amount	\$78.12	\$24.80	\$16.50	\$20.44	\$24.80	\$24.80	\$27.93	\$52.78
Audited Correct Amount	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
Amount Paid	\$78.12	\$24.80	\$16.50	\$20.44	\$24.80	\$24.80	\$27.93	\$52.78
Paid Date	03/13/06	09/06/04	03/08/04	10/24/05	05/30/05	03/28/05	08/22/05	04/26/04
Procedure Description	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	SUPPLY OF SPECTACLES, EXCEPT PROSTHESIS	REPAIR & REFITTING OF SPECTACLES EXCEPT FOR APHAKIA 10/24/05 - INCLUDES DISPENSING	FITTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	HTTING OF SPECTACLES, MONOFOCAL EXCEPT FOR APHAKIA - INCLUDES DISPENSING	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES DISPENSING	FITTING/DISPENSING OF CONTACT LENS
PROC Code	92004	92340	92390	92370	92340	92340	92341	92310
Service Date	90/ε0/ε0	08/25/04	02/26/04	10/04/05	05/18/05	03/16/05	08/09/05	04/09/04
Strata	17	7	П	74	Ø	æ	∞	14
Record	344	345	347	348	349	350	353	354

Page 38 of 40

Bircumsha.. Provider No. Audit # MA us-us



6/05 | APPENDIX A

Projected Sample Overpayments

Bircumsh. Provider No Audit # · MA 08-05

Record	Ctrop	Service	PROC	Procedure Description	Paid	Amount	Audited	Overpaid	Finding	Finding
Number	Sudid	Date	Code		Date	Paid	Amount	Amount	iadillusi	iond read
				OFFICE & OTHER OP VISIT- EVAL/MGMT NEW PATIENT, 20		<u> </u>				Incorrect level of E/M code
356	15	09/22/03	99202		10/20/03	\$60.20	\$24.75	\$35.45	7	billed
_				TO MODERATE SEVERITY						
				OFFICE & OTHER OP VISIT-	,					
ţ		20,01,00	31,500	PATIENT 40 MINUTES FACE-TO-	06/28/04	\$79.00	\$24.75	\$54.25	2	Incorrect level of E/M code
35/	× 7	04/13/04	7366	FACE, PRESENTING PROBLEMS.						
				ARE OF MODERATE TO RIGH SEVERITY .						
358	∞	06/06/03	92341	FITTING OF SPECTACLES, BIFOCAL EXCEPT APHAKIA - INCLUDES	E0/0E/90	\$27.30	\$0.00	\$27.30	38	Repair and refitting billed on same date
				UISPENSING						
359	17	01/05/05	92004	OPHTHALMOLOGICAL SERVICES; MEDICAL EXAM & EVALUATION; COMPHREHENSIVE, NEW PATIENT, ONE OR MORE VISITS	01/17/05	\$77.08	\$0.00	\$77.08	. 10	No required history
				FITTING OF SPECTACLES,						
362	ω 	06/06/05	92340		06/20/05	\$24.80	\$0.00	\$24.80	18	No chart note
1	C	.30/36/06	07240	FITTING OF SPECTACLES,	03/28/05	\$24.80	\$0.00	\$24.80	 18,38	No-chart note Repair and réfitting billed on
363	ν	co/at/co	04576							same date
		20/66/30	04500	FITTING OF SPECTACLES,	05/23/05	\$24.80	\$0.00	\$24.80	18	No chart note
364	×>	cn/ct/cn	75.540					·		

Page 39 of 40

FILED COURT OF APPEALS DIVISION II

2014 OCT 24 PM 1: 47

STATE OF WASHINGTON

BEPUTY

#### NO. 45923-0-II COURT OF APPEALS, DIVISION II OF THE STATE OF WASHINGTON

STATE OF WASHINGTON,	) NO. <b>13-2-07068-1</b>
Plaintiff/Respondent,	DECLARATION OF SERVICE BY MAIL
v.	) )
HAROLD BIRCUMSHAW	) )
	) )
Defendant/Appellant.	) )

KNOW ALL PERSONS BY THESE PRESENTS: That I, Stacey McKee, the undersigned, of Tacoma, in the County of Pierce and State of Washington, have declared and do hereby declare:

That I am not a party to the above-entitled action, am over the age required and competent to be a witness;

That on the 24th day of October, 2014, I placed in the United States Mail with first class postage prepaid an envelope containing the following documents:

1. Brief of Appellant,

TOP LOS

#### 2. This Declaration of Service by Mail

Properly addressed to the following:

Angela Coats McCarthy Matthew Sailer King P.O. Box 40124 7141 Cleanwater Dr SW Olympia, WA 98504

I declare under penalty of perjury under the laws of the State of Washington and of the United States that the foregoing is true and correct.

Signed at Tacoma, Pierce County, Washington this 24th day of October, 2014.

Stacey McKee McKee

Kram, Wooster, P.S. 1901 South I Street Tacoma WA 98405 (253) 272-7929